

HLA-G rabbit monoclonal antibody

Catalog # H00003135-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human HLA-G peptide using ARM Technology.
Immunogen	A synthetic peptide of human HLA-G is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human HLA-G peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — HLA-G

Entrez GeneID	3135
GeneBank Accession#	HLA-G
Gene Name	HLA-G
Gene Alias	MHC-G
Gene Description	major histocompatibility complex, class I, G
Omim ID	142871 600807
Gene Ontology	Hyperlink
Gene Summary	HLA-G belongs to the HLA class I heavy chain paralogues. This class I molecule is a heterodimer consisting of a heavy chain and a light chain (beta-2 microglobulin). The heavy chain is anchored in the membrane. HLA-G is expressed on fetal derived placental cells. The heavy chain is approximately 45 kDa and its gene contains 8 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the alpha1 and alpha2 domain, which both bind the peptide, exon 4 encodes the alpha3 domain, exon 5 encodes the transmembrane region, and exon 6 encodes the cytoplasmic tail. [provided by RefSeq]
Other Designations	HLA class I molecule HLA-G histocompatibility antigen, class I, G MHC class I antigen OTTHUMP00000039485 b2 microglobulin

Pathway

- [Allograft rejection](#)
- [Antigen processing and presentation](#)
- [Autoimmune thyroid disease](#)
- [Cell adhesion molecules \(CAMs\)](#)
- [Endocytosis](#)
- [Graft-versus-host disease](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Type I diabetes mellitus](#)

Disease

- [Abortion](#)
- [Anemia](#)
- [Arthritis](#)
- [Asthma](#)
- [Autoimmune Diseases](#)
- [Behcet Syndrome](#)
- [Birth Weight](#)
- [Bronchial Hyperreactivity](#)
- [Carcinoma](#)
- [Cardiomyopathy](#)
- [Cardiovascular Diseases](#)
- [Cervical Intraepithelial Neoplasia](#)
- [Cholestasis](#)
- [Chorioamnionitis](#)
- [Colitis](#)
- [Coronary Aneurysm](#)
- [Crohn Disease](#)
- [Cytomegalovirus Infections](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Ductus Arteriosus](#)
- [Eclampsia](#)
- [Edema](#)

- [Fetal Diseases](#)
- [Fetal Membranes](#)
- [Gastrointestinal Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Graft vs Host Disease](#)
- [Hepatitis](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [Hypersensitivity](#)
- [Infant](#)
- [Infection](#)
- [Infertility](#)
- [Lupus Erythematosus](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Multiple Sclerosis](#)
- [Obstetric Labor](#)
- [Papillomavirus Infections](#)
- [Photosensitivity Disorders](#)
- [Pneumonia](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prenatal Exposure Delayed Effects](#)
- [Psoriasis](#)
- [Purpura](#)

- [Sarcoidosis](#)
- [Thalassemia](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)