


HOXA5 monoclonal antibody (M08), clone 3F2


Catalog # H00003202-M08 Size 100 ug

Applications




Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged HOXA5 is approximately 0.3ng/ml as a capture antibody.



Immunofluorescence

Immunofluorescence of monoclonal antibody to HOXA5 on HeLa cell . [antibody concentration 10 $\mbox{ug/ml}$]



Western Blot detection against Immunogen (36.63 KDa).

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant HOXA5.



Product Information

Immunogen	HOXA5 (NP_061975.1, 171 a.a. \sim 270 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	PAQPQIYPWMRKLHISHDNIGGPEGKRARTAYTRYQTLELEKEFHFNRYLTRRRRIEIAHALCLSER QIKIWFQNRRMKWKKDNKLKSMSMAAAGGAFRP
Host	Mouse
Reactivity	Human
Isotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.63 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Recombinant protein)

Protocol Download

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged HOXA5 is approximately 0.3ng/ml as a capture antibody.

Protocol Download

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to HOXA5 on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — HOXA5		
Entrez GenelD	3202	
GeneBank Accession#	NM_019102.1	
Protein Accession#	NP_061975.1	
Gene Name	HOXA5	



Product Information

Gene Alias	HOX1, HOX1.3, HOX1C, MGC9376
Gene Description	homeobox A5
Omim ID	142952
Gene Ontology	<u>Hyperlink</u>
Gene Summary	In vertebrates, the genes encoding the class of transcription factors called homeobox genes are found in clusters named A, B, C, and D on four separate chromosomes. Expression of these prote ins is spatially and temporally regulated during embryonic development. This gene is part of the A cluster on chromosome 7 and encodes a DNA-binding transcription factor which may regulate ge ne expression, morphogenesis, and differentiation. Methylation of this gene may result in the loss of its expression and, since the encoded protein upregulates the tumor suppressor p53, this prote in may play an important role in tumorigenesis. [provided by RefSeq
Other Designations	homeo box 1C homeo box A5 homeobox protein HOXA5

Disease

Clubfoot