


MaxPab®

HSD17B2 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00003294-D01P


Size 100 ug

Applications




Western Blot (Tissue lysate)

HSD17B2 MaxPab rabbit polyclonal antibody. Western Blot analysis of HSD17B2 expression in mouse kidney.



Western Blot (Tissue lysate)

HSD17B2 MaxPab rabbit polyclonal antibody. Western Blot analysis of HSD17B2 expression in human liver.



Western Blot (Transfected lysate)

Western Blot analysis of HSD17B2 expression in transfected 293T cell line ([H00003294-T03](#)) by HSD17B2 MaxPab polyclonal antibody.

Lane 1: HSD17B2 transfected lysate(42.80 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human HSD17B2 protein.

Immunogen	HSD17B2 (NP_002144.1, 1 a.a. ~ 387 a.a) full-length human protein.
Sequence	MSTFFSDTAWICLAVPTVLCGTVFCKYKKSSGQLWSWMVCLAGLCVCLLILSPFWGLILFSVSC FLMYTILSGQELLPVDQKAVLVTGGDCGLGHALCKYLDELGFTVFAGVLNENGPAGEELRRTCS PRLSVLQMDITKPVQIKDAYSKVAAMLQDRGLWAVINNAGVLGFPTDGELLMTDYKQCMAVNFF GTVEVTKTFLPLLRSKSGRLVNVSSMGGGAPMERLASYGSSKAAVTMFSSVMRLELSKWGIKVA SIQPGGFLTNIAGTSDKWEKLEKDILDHLPAEVQEDYGQDYILAQRNLLLINSKDFSPVLRDIQ HAILAKSPFAYYTPGKGAYLWICLAHYLPIGYDYFAKRHFGQDKPMPRALRMPNYKKKAT
Host	Rabbit
Reactivity	Human, Mouse
Interspecies Antigen Sequence	Mouse (61)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

HSD17B2 MaxPab rabbit polyclonal antibody. Western Blot analysis of HSD17B2 expression in mouse kidney.

[Protocol Download](#)

- Western Blot (Tissue lysate)

HSD17B2 MaxPab rabbit polyclonal antibody. Western Blot analysis of HSD17B2 expression in human liver.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of HSD17B2 expression in transfected 293T cell line ([H00003294-T03](#)) by HSD17B2 MaxPab polyclonal antibody.

Lane 1: HSD17B2 transfected lysate(42.80 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — HSD17B2

Entrez GeneID	3294
GeneBank Accession#	NM_002153.1
Protein Accession#	NP_002144.1
Gene Name	HSD17B2
Gene Alias	EDH17B2, HSD17, SDR9C2
Gene Description	hydroxysteroid (17-beta) dehydrogenase 2
Omim ID	109685
Gene Ontology	Hyperlink
Gene Summary	member 2
Other Designations	short chain dehydrogenase/reductase family 9C, member 2

Pathway

- [Androgen and estrogen metabolism](#)
- [Metabolic pathways](#)

Disease

- [Adenocarcinoma](#)
- [Asperger Syndrome](#)
- [Autistic Disorder](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Colorectal Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Failure](#)
- [Lung Neoplasms](#)

- [Lymphoma](#)
- [Neoplasms](#)
- [Obesity](#)
- [Oligospermia](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Social Perception](#)
- [Stomach Neoplasms](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)