

## HSPA5 rabbit monoclonal antibody

Catalog # H00003309-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human HSPA5 peptide using ARM Technology.
Immunogen	A synthetic peptide of human HSPA5 is used for rabbit immunization.  Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen ( <u>ARM Technology</u> ).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human HSPA5 peptide by ELISA and mammalian transfected lysate by W estern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	<ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol>

## **Applications**

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — HSPA5	
Entrez GenelD	3309
GeneBank Accession#	HSPA5
Gene Name	HSPA5
Gene Alias	BIP, FLJ26106, GRP78, MIF2
Gene Description	heat shock 70kDa protein 5 (glucose-regulated protein, 78kDa)
Omim ID	<u>138120</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	When Chinese hamster K12 cells are starved of glucose, the synthesis of several proteins, called glucose-regulated proteins (GRPs), is markedly increased. Hendershot et al. (1994) [PubMed 80 20977] pointed out that one of these, GRP78 (HSPA5), also referred to as 'immunoglobulin heavy chain-binding protein' (BiP), is a member of the heat-shock protein-70 (HSP70) family and is involved in the folding and assembly of proteins in the endoplasmic reticulum (ER). Because so many ER proteins interact transiently with GRP78, it may play a key role in monitoring protein transport through the cell.[supplied by OMIM
Other Designations	Heat-shock 70kD protein-5 (glucose-regulated protein, 78kD) OTTHUMP00000022124 heat shock 70kD protein 5 (glucose-regulated protein, 78kD) heat shock 70kDa protein 5

## Pathway

- Antigen processing and presentation
- Prion diseases

## Disease

- Alzheimer disease
- Bipolar Disorder
- Carcinoma
- Cognition



- Disease Susceptibility
- Genetic Predisposition to Disease
- Hepatitis B
- Infection
- Kidney Failure
- Liver Neoplasms
- Parkinson disease
- Schizophrenia
- Stress