


IFNA17 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00003451-T01

Size 100 uL


Applications



Western Blot

Lane 1: IFNA17 transfected lysate (21.7 KDa)

Lane 2: Non-transfected lysate.



SDS-PAGE Gel

IFNA17 transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-IFNA17 full-length

Host Human

Theoretical MW (kDa) 20.9

Quality Control Testing Transient overexpression cell lysate was tested with Anti-IFNA17 antibody ([H00003451-B01](#)) by Western Blots.
Western Blot
Lane 1: IFNA17 transfected lysate (21.7 KDa)
Lane 2: Non-transfected lysate.
SDS-PAGE Gel
IFNA17 transfected lysate.

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — IFNA17

Entrez GeneID	3451
GeneBank Accession#	NM_021268
Protein Accession#	NP_067091
Gene Name	IFNA17
Gene Alias	IFNA, INFA, LEIF2C1
Gene Description	interferon, alpha 17
Omim ID	147583
Gene Ontology	Hyperlink
Gene Summary	O
Other Designations	OTTHUMP00000021140 interferon alpha-WA

Pathway

- [Antigen processing and presentation](#)
- [Autoimmune thyroid disease](#)
- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Regulation of autophagy](#)

- [Toll-like receptor signaling pathway](#)

Disease

- [Genetic Predisposition to Disease](#)
- [Hepatitis C](#)
- [Lupus Erythematosus](#)
- [Multiple Sclerosis](#)
- [Sarcoidosis](#)
- [Uterine Cervical Neoplasms](#)