


MaxPab®

IFNGR2 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00003460-D01P


Size 100 ug

Applications



Western Blot (Cell lysate)

IFNGR2 MaxPab rabbit polyclonal antibody. Western Blot analysis of IFNGR2 expression in HeLa.



Western Blot (Transfected lysate)

Western Blot analysis of IFNGR2 expression in transfected 293T cell line ([H00003460-T02](#)) by IFNGR2 MaxPab polyclonal antibody.

Lane 1: IFNGR2 transfected lysate(37.80 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human IFNGR2 protein.

Immunogen

IFNGR2 (NP_005525.2, 1 a.a. ~ 337 a.a) full-length human protein.

Sequence

MRPTLLWSLLLLLVFAAAAAAPPDPLSQLPAPQHPKIRLYNAEQVLSWEPVALSNSTRPVVYQV
QFKYTDSKWFTADIMSIGVNCTQITATECDFTAASPSAGFPMDFNVTLRLRAELGALHSAWVTMP
WFQHYRNVTVGPPENIEVTPGEGSLIIRFSSPFDIADTSTAFFCYVHYWEKGGIQQVKGPFRRNSI
SLDNLKPSRVYCLQVQAQLLWNKSNIFRVGHLSNISCYETMADASTELQQVILISVGTFSLLSVLAG
ACFFLVLYRGLIKYWFHTPPSIPLQIEEYLDKPTQPILEALDKDSSPKDDVWDSVSIISFPEKEQED
VLQTL

Host

Rabbit

Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

IFNGR2 MaxPab rabbit polyclonal antibody. Western Blot analysis of IFNGR2 expression in HeLa.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of IFNGR2 expression in transfected 293T cell line ([H00003460-T02](#)) by IFNGR2 MaxPab polyclonal antibody.

Lane 1: IFNGR2 transfected lysate(37.80 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — IFNGR2

Entrez GeneID	3460
GeneBank Accession#	NM_005534
Protein Accession#	NP_005525.2
Gene Name	IFNGR2
Gene Alias	AF-1, IFGR2, IFNGT1
Gene Description	interferon gamma receptor 2 (interferon gamma transducer 1)
Omim ID	147569 209950
Gene Ontology	Hyperlink

Gene Summary

This gene (IFNGR2) encodes the non-ligand-binding beta chain of the gamma interferon receptor. Human interferon-gamma receptor is a heterodimer of IFNGR1 and IFNGR2. Defects in IFNGR2 are a cause of mendelian susceptibility to mycobacterial disease (MSMD), also known as familial disseminated atypical mycobacterial infection. MSMD is a genetically heterogeneous disease with autosomal recessive, autosomal dominant or X-linked inheritance. [provided by RefSeq]

Other Designations

interferon gamma receptor 2|interferon gamma receptor accessory factor-1|interferon gamma receptor beta chain

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)
- [Natural killer cell mediated cytotoxicity](#)

Disease

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Bronchial Hyperreactivity](#)
- [Bronchiolitis](#)
- [Calcinosis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chorioamnionitis](#)
- [Coronary Artery Disease](#)
- [Coronary Restenosis](#)
- [Coronary Stenosis](#)
- [Diabetes Mellitus](#)

- [Disease Progression](#)
- [Drug Hypersensitivity](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Graft vs Host Disease](#)
- [Hepatitis B](#)
- [Hepatitis C](#)
- [Hypersensitivity](#)
- [Infant](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Liver Cirrhosis](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Lymphoma](#)
- [Multiple Sclerosis](#)
- [Neovascularization](#)
- [Obstetric Labor](#)
- [Papillomavirus Infections](#)
- [Postoperative Complications](#)
- [Pre-Eclampsia](#)
- [Premature Birth](#)
- [Pulmonary Disease](#)
- [Respiratory Syncytial Virus Infections](#)

- [Sarcoidosis](#)
- [Seminoma](#)
- [Stomach Neoplasms](#)
- [Subacute Sclerosing Panencephalitis](#)
- [Testicular Neoplasms](#)
- [Tuberculosis](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Viremia](#)
- [Werner syndrome](#)