


MaxPab®

IL2RG purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00003561-B01P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of IL2RG expression in transfected 293T cell line ([H00003561-T02](#)) by IL2RG MaxPab polyclonal antibody.

Lane 1: IL2RG transfected lysate(40.59 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human IL2RG protein.
Immunogen	IL2RG (NP_000197.1, 1 a.a. ~ 369 a.a) full-length human protein.
Sequence	MLKPSLPFTSLLFLQLPLLGVGLNTTILTPNGNEDTTADFFLTTPMPTDSLVSSTLPLPEVQCFVFNVEYMNCTWNSSSEPQPTNLTLYWYKNSDNDKVQKCSHYLFSEEITSGCQLQKKEIHLVQTFVVLQDQPREPRRQATQMLKLQNLVIPWAPENLTCLKLSESLQELNWNRRFLNHCLEHLVQYRTDWDHSWTEQSVDYRHKFSLPSVDGQKRYTFRVRSRFPNPLCGSAQHWSEWSHPIHWGSNTSKENPFLFALEAVVISVGSMGLIISLLCVYFWLERTMPRIPTLKNLEDLVTEYHGNFSAWSGVSKGLAESLQPDYSERLCLVSEIPPKGGALGEGPGASPCNQHSPYWAPPCYTLKPET
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of IL2RG expression in transfected 293T cell line ([H00003561-T02](#)) by IL2RG MaxPab polyclonal antibody.

Lane 1: IL2RG transfected lysate(40.59 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — IL2RG

Entrez GeneID [3561](#)

GeneBank Accession# [NM_000206.1](#)

Protein Accession# [NP_000197.1](#)

Gene Name IL2RG

Gene Alias CD132, IMD4, SCIDX, SCIDX1

Gene Description interleukin 2 receptor, gamma (severe combined immunodeficiency)

Omim ID [300400](#) [308380](#) [312863](#)

Gene Ontology [Hyperlink](#)

Gene Summary The interleukin 2 (IL2) receptor gamma chain (IL2RG), an important signalling component of many interleukin receptors (IL2,IL4,IL7,IL9, and IL15), is thus referred to as the common gamma chain. Mutations in this X-chromosome-linked gene cause X-linked severe combined immunodeficiency (XSCID). [provided by RefSeq]

Other Designations common cytokine receptor gamma chain|interleukin 2 receptor gamma chain|interleukin 2 receptor, gamma

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)
- [Jak-STAT signaling pathway](#)
- [Primary immunodeficiency](#)

Disease

- [Asthma](#)
- [Bronchiolitis](#)
- [Genetic Predisposition to Disease](#)
- [Immunologic Deficiency Syndromes](#)
- [Infant](#)
- [Lymphopenia](#)
- [Respiratory Syncytial Virus Infections](#)
- [Severe combined immunodeficiency](#)