

DNAXPAb


Hard-to-Find
Antibody

IL12A DNAXPab

Catalog # H00003592-W02P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of IL12A expression in transfected 293T cell line by IL12A DNAXPab polyclonal antibody.

Lane 1: IL12A transfected lysate(42.79 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human IL12A DNA using DNAX™ Immune technology.
Technology	DNAX™ Immune
Immunogen	IL12A (P29459, 57 a.a. ~ 253 a.a) full-length human DNA
Sequence	RNLPVATPDPGMFPCLLHHSQNLLRAVSNNMLQKARQTLEFYPTCTSEEDHEDITKDKTSTVEACLP LELTKNESCLNSRETSFITNGSCLASRKTSFMMALCLSSIEDLKMYQVEFKTMNAKLLMDPKRQI FLDQNMMLAVIDELMQALNFNSETVPQKSSLEEPDFYKTKIKLCILLHAFRIRAVTIDRVMSYLNAS
Host	Rabbit
Reactivity	Human
Purification	Protein A
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of IL12A expression in transfected 293T cell line by IL12A DNAPab polyclonal antibody.

Lane 1: IL12A transfected lysate(42.79 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunofluorescence (Transfected cell)

- Flow Cytometry (Transfected cell)

Gene Info — IL12A

Entrez GeneID	3592
GeneBank Accession#	NM_000882.2
Protein Accession#	P29459
Gene Name	IL12A
Gene Alias	CLMF, IL-12A, NFSK, NKSF1, P35
Gene Description	interleukin 12A (natural killer cell stimulatory factor 1, cytotoxic lymphocyte maturation factor 1, p35)
Omim ID	161560
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a subunit of a cytokine that acts on T and natural killer cells, and has a broad array of biological activities. The cytokine is a disulfide-linked heterodimer composed of the 35-kD subunit encoded by this gene, and a 40-kD subunit that is a member of the cytokine receptor family. This cytokine is required for the T-cell-independent induction of interferon (IFN)-gamma, and is important for the differentiation of both Th1 and Th2 cells. The responses of lymphocytes to this cytokine are mediated by the activator of transcription protein STAT4. Nitric oxide synthase 2A (NOS2A/NOS2) is found to be required for the signaling process of this cytokine in innate immunity. [provided by RefSeq]
Other Designations	IL-12, subunit p35 NF cell stimulatory factor chain 1 cytotoxic lymphocyte maturation factor 1, p35 interleukin 12, p35 interleukin 12A interleukin-12 alpha chain natural killer cell stimulatory factor 1, 35 kD subunit

Pathway

- [Allograft rejection](#)
- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)
- [Toll-like receptor signaling pathway](#)
- [Type I diabetes mellitus](#)

Disease

- [Abortion](#)
- [Acquired Immunodeficiency Syndrome](#)
- [Adenocarcinoma](#)
- [Alveolitis](#)
- [Alzheimer Disease](#)
- [Anemia](#)
- [Arthritis](#)
- [Asthma](#)
- [Autoimmune Diseases](#)
- [Breast Neoplasms](#)
- [Bronchiolitis](#)
- [Bronchopulmonary Dysplasia](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Chorioamnionitis](#)

- [Colorectal Neoplasms](#)
- [Common Variable Immunodeficiency](#)
- [Coronary Artery Disease](#)
- [Dermatitis](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Enterocolitis](#)
- [Esophageal Neoplasms](#)
- [Fetal Membranes](#)
- [Gastritis](#)
- [Genetic Predisposition to Disease](#)
- [Gingival Hemorrhage](#)
- [Helicobacter Infections](#)
- [Hematologic Diseases](#)
- [Hepatitis B](#)
- [Hepatitis C](#)
- [Herpesviridae Infections](#)
- [Hodgkin Disease](#)
- [Hypersensitivity](#)
- [Hypotension](#)
- [Idiopathic Pulmonary Fibrosis](#)
- [Infant](#)

- [Inflammation](#)
- [Kidney Failure](#)
- [Liver Cirrhosis](#)
- [Liver Neoplasms](#)
- [Lung Diseases](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Lymphoma](#)
- [Lymphoproliferative Disorders](#)
- [Malaria](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Mental Disorders](#)
- [Multiple Myeloma](#)
- [Multiple Sclerosis](#)
- [Myasthenia Gravis](#)
- [Nasopharyngeal Neoplasms](#)
- [Neuropsychological Tests](#)
- [Obstetric Labor](#)
- [Occupational Diseases](#)
- [Osteoarthritis](#)
- [Papillomavirus Infections](#)
- [Pemphigus](#)
- [Periodontal Pocket](#)
- [Periodontitis](#)
- [Pneumonia](#)

- [Pre-Eclampsia](#)
- [Premature Birth](#)
- [Proteinuria](#)
- [Psoriasis](#)
- [Pulmonary Disease](#)
- [Pulmonary Fibrosis](#)
- [Recurrence](#)
- [Respiratory Distress Syndrome](#)
- [Respiratory Syncytial Virus Infections](#)
- [Sarcoidosis](#)
- [Sarcoma](#)
- [Schizophrenia](#)
- [Scleroderma](#)
- [Skin Neoplasms](#)
- [Skin Ulcer](#)
- [Stomach Neoplasms](#)
- [Stomatitis](#)
- [Tuberculosis](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)