

IL16 rabbit monoclonal antibody

Catalog # H00003603-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human IL16 peptide using ARM Technology.
Immunogen	A synthetic peptide of human IL16 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human IL16 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — IL16

Entrez GeneID	3603
GeneBank Accession#	IL16
Gene Name	IL16
Gene Alias	FLJ16806, FLJ42735, FLJ44234, HsT19289, IL-16, LCF, prIL-16
Gene Description	interleukin 16 (lymphocyte chemoattractant factor)
Omim ID	603035
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a pleiotropic cytokine that functions as a chemoattractant, a modulator of T cell activation, and an inhibitor of HIV replication. The signaling process of this cytokine is mediated by CD4. The product of this gene undergoes proteolytic processing, which is found to yield two functional proteins. The cytokine function is exclusively attributed to the secreted C-terminal peptide, while the N-terminal product may play a role in cell cycle control. Caspase 3 is reported to be involved in the proteolytic processing of this protein. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]
Other Designations	OTTHUMP00000190849 OTTHUMP00000190850 interleukin 16 lymphocyte chemoattractant factor

Disease

- [Asthma](#)
- [Biliary Tract Neoplasms](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Chronic Disease](#)
- [Colorectal Neoplasms](#)

- [Dermatitis](#)
- [Diabetes Mellitus](#)
- [DNA Damage](#)
- [Edema](#)
- [Endometriosis](#)
- [Esophagitis](#)
- [Genetic Predisposition to Disease](#)
- [Graves Disease](#)
- [Hepatitis C](#)
- [Hypersensitivity](#)
- [Infant](#)
- [Inflammation](#)
- [Kidney Neoplasms](#)
- [Leukemia](#)
- [Liver Failure](#)
- [Lung Neoplasms](#)
- [Lupus Erythematosus](#)
- [Lymphoma](#)
- [Nasopharyngeal Neoplasms](#)
- [Pain](#)
- [Periodontitis](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Radiation Injuries](#)
- [Radiation Pneumonitis](#)

- [Recurrence](#)
- [Respiratory Syncytial Virus Infections](#)
- [Stomach Neoplasms](#)