

ITGB2 rabbit monoclonal antibody

Catalog # H00003689-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human ITGB2 peptide using ARM Technology.
Immunogen	A synthetic peptide of human ITGB2 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human ITGB2 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — ITGB2

Entrez GeneID	3689
GeneBank Accession#	ITGB2
Gene Name	ITGB2
Gene Alias	CD18, LAD, LCAMB, LFA-1, MAC-1, MF17, MFI7
Gene Description	integrin, beta 2 (complement component 3 receptor 3 and 4 subunit)
Omim ID	116920 600065
Gene Ontology	Hyperlink
Gene Summary	The product of this gene belongs to the integrin beta chain family of proteins. Integrins are integral cell-surface proteins composed of an alpha chain and a beta chain. This gene encodes the integrin beta chain beta 2. A given chain may combine with multiple partners resulting in different integrins. For example, beta 2 combines with the alpha L chain to form the integrin LFA-1, and combines with the alpha M chain to form the integrin Mac-1. Integrins are known to participate in cell adhesion as well as cell-surface mediated signalling. Defects in this gene are the cause of leukocyte adhesion deficiency type I (LAD1). Two transcript variants encoding the same protein have been identified for this gene. [provided by RefSeq]
Other Designations	CD18 subunit OTTHUMP00000115278 OTTHUMP00000115279 OTTHUMP00000115281 OTTHUMP00000115282 beta 2 integrin subunit cell surface adhesion glycoprotein LFA-1/CR3/P150, 959 beta subunit precursor) complement receptor C3 beta-subunit integrin beta 2 integrin bet

Pathway

- [Cell adhesion molecules \(CAMs\)](#)
- [Leukocyte transendothelial migration](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Regulation of actin cytoskeleton](#)

Disease

- [Asthma](#)

- [Atherosclerosis](#)
- [Birth Weight](#)
- [Brain Ischemia](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchiolitis](#)
- [Cardiovascular Diseases](#)
- [Cerebral Infarction](#)
- [Cerebrovascular Accident](#)
- [Constriction](#)
- [Coronary Disease](#)
- [Coronary Restenosis](#)
- [Diabetes Mellitus](#)
- [Diabetic Retinopathy](#)
- [Disease Progression](#)
- [Edema](#)
- [Enterocolitis](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [Glomerulonephritis](#)
- [Hirschsprung Disease](#)
- [Hypercholesterolemia](#)
- [Infant](#)
- [Inflammation](#)

- [Intracranial Thrombosis](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lymphoma](#)
- [Macular Degeneration](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Metabolic Syndrome X](#)
- [Narcolepsy](#)
- [Obesity](#)
- [Parkinson disease](#)
- [Recurrence](#)
- [Renal Insufficiency](#)
- [Respiratory Syncytial Virus Infections](#)
- [Stroke](#)
- [Thyroid Neoplasms](#)
- [Werner syndrome](#)