


MaxPab®

ITK MaxPab rabbit polyclonal antibody (D01)

Catalog # H00003702-D01

Size 100 uL

Applications



Immunoprecipitation

Immunoprecipitation of ITK transfected lysate using anti-ITK MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ITK MaxPab mouse polyclonal antibody (B01) ([H00003702-B01](#)).

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human ITK protein.

Immunogen

ITK (AAI09078.1, 1 a.a. ~ 620 a.a) full-length human protein.

Sequence

MNNFILLEEQLIKKSQQKRTSPSNFKVRRFFVLTKASLAYFEDRHGKKRTLKGSIELSRIKCVENKS
DISIPCHYKYPFQVVHDNYLLVYFAPDRESRQRWVLALKEETRNNNSLVPKYHPNFWMDGKWRC
CSQLEKLTGCAQYDPTKNASKKPLPPTPEDNRRPLWEPEETVIALYDYQTNDPQELALRRNEE
YCLLDSSIEHWWRVQDRNGHEGYVPSSYLVEKSPNNLETYEWYNKSISRDKAEKLLLDTGKEGAF
MVRDSRTAGTYTVSVFTKAVVSENNPCIKHYHIKE TNDNPKRYYYAEKYVFDSDIPLLINYHQHNGGG
LVTRLRYPVCFGRQKAPVTAGLRYGKWWIDPSELTFVQEIGSGQFGLVHLGYWLNKDKVAIKTIRE
GAMSEEDFIEEA EVMMLKLSHPKLVQLYGVCLQAPICLVFEFMEHGCLSDYLRTQRGLFAAETLL
GMCLDVCEGMAYLEEACVIHRDLAARNCLVGENQVIKVSDFGMTRFVLDDQYTSSTGTFKFPVKW
ASPEVFSFSRYSSKSDVWSFGVLMWEVFSEGKIPYENRSNSEVVEDISTGFRLYKPRLASTHVYQ
IMNHCWKERPEDRPAFSRLLRQLAEIAESGL

Host

Rabbit

Reactivity

Human

Interspecies Antigen Sequence

Mouse (93); Rat (94)

Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Immunoprecipitation

Immunoprecipitation of ITK transfected lysate using anti-ITK MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with ITK MaxPab mouse polyclonal antibody (B01) ([H00003702-B01](#)).

[Protocol Download](#)

Gene Info — ITK

Entrez GeneID	3702
GeneBank Accession#	NM_005546.3
Protein Accession#	AAI09078.1
Gene Name	ITK
Gene Alias	EMT, LYK, MGC126257, MGC126258, PSCTK2
Gene Description	IL2-inducible T-cell kinase
Omim ID	186973
Gene Ontology	Hyperlink
Gene Summary	This gene encodes an intracellular tyrosine kinase expressed in T-cells. The protein contains both SH2 and SH3 domains which are often found in intracellular kinases. It is thought to play a role in T-cell proliferation and differentiation. [provided by RefSeq]
Other Designations	homolog of mouse T-cell itk/tsk tyrosine-protein kinase ITK/TSK tyrosine-protein kinase LYK

Pathway

- [Chemokine signaling pathway](#)
- [Leukocyte transendothelial migration](#)

- [T cell receptor signaling pathway](#)

Disease

- [Asthma](#)
- [Celiac Disease](#)
- [Eczema](#)
- [Genetic Predisposition to Disease](#)
- [Hypersensitivity](#)