


LMNA (Human) IP-WB Antibody Pair

Catalog # H00004000-PW2

Size 1 Set

Applications



Immunoprecipitation of LMNA transfected lysate using rabbit polyclonal anti-LMNA and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-LMNA.

Specification

Product Description

This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity

Human

Quality Control Testing

Immunoprecipitation-Western Blot (IP-WB)

Immunoprecipitation of LMNA transfected lysate using rabbit polyclonal anti-LMNA and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-LMNA.

Supplied Product

Antibody pair set content:

1. Antibody pair for IP: rabbit polyclonal anti-LMNA (300 ul)
2. Antibody pair for WB: mouse purified polyclonal anti-LMNA (50 ug)

Storage Instruction

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- Immunoprecipitation-Western Blot

[Protocol Download](#)

Gene Info — LMNA

Entrez GeneID	4000
Gene Name	LMNA
Gene Alias	CDCD1, CDDC, CMD1A, CMT2B1, EMD2, FPL, FPLD, HGPS, IDC, LDP1, LFP, LGMD1B, LMN1, LMNC, PRO1
Gene Description	lamin A/C
Omim ID	115200 150330 151660 159001 176670 181350 248370 275210 277700 604929 605588 607920 608056
Gene Ontology	Hyperlink
Gene Summary	The nuclear lamina consists of a two-dimensional matrix of proteins located next to the inner nuclear membrane. The lamin family of proteins make up the matrix and are highly conserved in evolution. During mitosis, the lamina matrix is reversibly disassembled as the lamin proteins are phosphorylated. Lamin proteins are thought to be involved in nuclear stability, chromatin structure and gene expression. Vertebrate lamins consist of two types, A and B. Through alternate splicing, this gene encodes three type A lamin isoforms. Mutations in this gene lead to several diseases: Emery-Dreifuss muscular dystrophy, familial partial lipodystrophy, limb girdle muscular dystrophy, dilated cardiomyopathy, Charcot-Marie-Tooth disease, and Hutchinson-Gilford progeria syndrome. [provided by RefSeq]
Other Designations	70 kDa lamin OTTHUMP00000015843 OTTHUMP00000015848

Pathway

- [Arrhythmogenic right ventricular cardiomyopathy \(ARVC\)](#)
- [Hypertrophic cardiomyopathy \(HCM\)](#)

Disease

- [Aging](#)
- [Alzheimer disease](#)
- [Arrhythmia](#)
- [Atherosclerosis](#)
- [Atrial Fibrillation](#)

- [Calcinosis](#)
- [Cardiomyopathy](#)
- [Cardiovascular Diseases](#)
- [Cerebrovascular Disorders](#)
- [Charcot-Marie-Tooth Disease](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Coronary Artery Disease](#)
- [Death](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Heart Failure](#)
- [Hyperglycemia](#)
- [Hyperinsulinism](#)
- [Hyperlipidemias](#)
- [Hypertriglyceridemia](#)
- [Insulin Resistance](#)
- [Kidney Failure](#)
- [Metabolic Syndrome X](#)
- [Obesity](#)
- [Polycystic Ovary Syndrome](#)
- [Syndrome](#)
- [Ventricular Dysfunction](#)