


MAD2L1 polyclonal antibody (A01)

Catalog # H00004085-A01

Size 50 uL

Applications



Western Blot detection against Immunogen (48.66 KDa) .

Specification

Product Description	Mouse polyclonal antibody raised against a full-length recombinant MAD2L1 .
Immunogen	MAD2L1 (AAH00356, 1 a.a. ~ 205 a.a) full-length recombinant protein with GST tag.
Sequence	MALQLSREQGITLRGSAEVAEFFSFGINSILYQRGYPSETFTRVQKYGLTLLVTTDLELIKYLNNVVE QLKDWLYKCSVQKL VVISNIESGEVLERWQFDIECDKTAKDD SAPREKSQKAIQDEIRSVIRQITA TVTFLPLLEVSCSFDLLIYTDKDLV VPEKWEESGPQFITNSEEVRLRSFTTTHKVN SMVAYKIPVN D
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (48.66 KDa) .
Storage Buffer	50 % glycerol
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

Gene Info — MAD2L1

Entrez GeneID [4085](#)

GeneBank Accession# [BC000356](#)

Protein Accession# [AAH00356](#)

Gene Name MAD2L1

Gene Alias HSMAD2, MAD2

Gene Description MAD2 mitotic arrest deficient-like 1 (yeast)

Omim ID [601467](#)

Gene Ontology [Hyperlink](#)

Gene Summary MAD2L1 is a component of the mitotic spindle assembly checkpoint that prevents the onset of anaphase until all chromosomes are properly aligned at the metaphase plate. MAD2L1 is related to the MAD2L2 gene located on chromosome 1. A MAD2 pseudogene has been mapped to chromosome 14. [provided by RefSeq]

Other Designations MAD2 (mitotic arrest deficient, yeast, homolog)-like 1|MAD2-like 1|MAD2-like protein 1|mitotic arrest deficient, yeast, homolog-like 1

Pathway

- [Cell cycle](#)

Disease

- [Alcoholism](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)

- [Carcinoma](#)
- [Genetic Predisposition to Disease](#)
- [Lung Neoplasms](#)