


# MEF2A monoclonal antibody (M15), clone 1C8

Catalog # H00004205-M15


Size 100 ug

## Applications




### Western Blot (Cell lysate)

MEF2A monoclonal antibody (M15), clone 1C8 Western Blot analysis of MEF2A expression in MCF-7 ( Cat # L046V1 ).




### Western Blot (Cell lysate)

MEF2A monoclonal antibody (M15), clone 1C8. Western Blot analysis of MEF2A expression in HepG2 ( Cat # L019V1 ).




### Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged MEF2A is approximately 0.3ng/ml as a capture antibody.



## Immunofluorescence

Immunofluorescence of monoclonal antibody to MEF2A on MCF-7 cell .  
[antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (37 KDa) .

## Specification

|                                      |                                                                                                                  |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Product Description</b>           | Mouse monoclonal antibody raised against a partial recombinant MEF2A.                                            |
| <b>Immunogen</b>                     | MEF2A (AAH13437, 71 a.a. ~ 170 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. |
| <b>Sequence</b>                      | EYNEPHESRTNSDMEALNKKEHRGCDSPDPDTSYVLTPTHTTEKYKKINEEFDNMMRNHAKIAPGLPPQNFMSVTPVPTSPNALSNTNP GSSLVSPSLAA            |
| <b>Host</b>                          | Mouse                                                                                                            |
| <b>Reactivity</b>                    | Human                                                                                                            |
| <b>Interspecies Antigen Sequence</b> | Mouse (69); Rat (100)                                                                                            |
| <b>Isotype</b>                       | IgG2a Kappa                                                                                                      |
| <b>Quality Control Testing</b>       | Antibody Reactive Against Recombinant Protein.<br>Western Blot detection against Immunogen (37 KDa) .            |
| <b>Storage Buffer</b>                | In 1x PBS, pH 7.4                                                                                                |
| <b>Storage Instruction</b>           | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.                                         |

## Applications

- Western Blot (Cell lysate)

MEF2A monoclonal antibody (M15), clone 1C8 Western Blot analysis of MEF2A expression in MCF-7 ( Cat # L046V1 ).

[Protocol Download](#)

- Western Blot (Cell lysate)

MEF2A monoclonal antibody (M15), clone 1C8. Western Blot analysis of MEF2A expression in HepG2 ( Cat # L019V1 ).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged MEF2A is approximately 0.3ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

- Immunofluorescence

Immunofluorescence of monoclonal antibody to MEF2A on MCF-7 cell . [antibody concentration 10 ug/ml]

## Gene Info — MEF2A

Entrez GeneID [4205](#)

GeneBank Accession# [BC013437](#)

Protein Accession# [AAH13437](#)

Gene Name MEF2A

Gene Alias ADCAD1, RSRFC4, RSRFC9

Gene Description myocyte enhancer factor 2A

Omim ID [600660 608320](#)

Gene Ontology [Hyperlink](#)

## Gene Summary

The process of differentiation from mesodermal precursor cells to myoblasts has led to the discovery of a variety of tissue-specific factors that regulate muscle gene expression. The myogenic basic helix-loop-helix proteins, including myoD (MIM 159970), myogenin (MIM 159980), MYF5 (MIM 159990), and MRF4 (MIM 159991) are one class of identified factors. A second family of DNA binding regulatory proteins is the myocyte-specific enhancer factor-2 (MEF2) family. Each of these proteins binds to the MEF2 target DNA sequence present in the regulatory regions of many, if not all, muscle-specific genes. The MEF2 genes are members of the MADS gene family (named for the yeast mating type-specific transcription factor MCM1, the plant homeotic genes 'agamous' and 'deficiens' and the human serum response factor SRF (MIM 600589)), a family that also includes several homeotic genes and other transcription factors, all of which share a conserved DNA-binding domain.[supplied by OMIM]

## Other Designations

MADS box transcription enhancer factor 2, polypeptide A (myocyte enhancer factor 2A)

## Disease

- [Atherosclerosis](#)
- [Cardiomyopathy](#)
- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Hypertrophy](#)
- [Insulin Resistance](#)
- [Myocardial Infarction](#)
- [Myocardial Ischemia](#)
- [Polycystic Ovary Syndrome](#)
- [Tobacco Use Disorder](#)