


MEIS1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00004211-T01


Size 100 uL

Applications



SDS-PAGE Gel

MEIS1 transfected lysate.



Western Blot

Lane 1: MEIS1 transfected lysate (41.69 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-MEIS1 full-length

Host Human

Theoretical MW (kDa) 41.69

Quality Control Testing Transient overexpression cell lysate was tested with Anti-MEIS1 antibody ([H00004211-B01](#)) by Western Blots.
 SDS-PAGE Gel
 MEIS1 transfected lysate.
 Western Blot
 Lane 1: MEIS1 transfected lysate (41.69 KDa)
 Lane 2: Non-transfected lysate.

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — MEIS1

Entrez GeneID	4211
GeneBank Accession#	BC036511.1
Protein Accession#	AAH36511.1
Gene Name	MEIS1
Gene Alias	MGC43380
Gene Description	Meis homeobox 1
Omim ID	601739
Gene Ontology	Hyperlink
Gene Summary	Homeobox genes, of which the most well-characterized category is represented by the HOX genes, play a crucial role in normal development. In addition, several homeoproteins are involved in neoplasia. This gene encodes a homeobox protein belonging to the TALE ('three amino acid loop extension') family of homeodomain-containing proteins. [provided by RefSeq]
Other Designations	Meis1, myeloid ecotropic viral integration site 1 homolog WUGSC:H_NH0444B04.1 leukemogenic homolog protein

Disease

- [Atrial Fibrillation](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)

- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Neuropsychological Tests](#)
- [Nocturnal Myoclonus Syndrome](#)
- [Obsessive-Compulsive Disorder](#)
- [Restless Legs Syndrome](#)
- [Tobacco Use Disorder](#)
- [Tourette Syndrome](#)