


MaxPab®

MITF purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00004286-D01P

Size 100 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of MITF expression in transfected 293T cell line ([H00004286-T02](#)) by MITF MaxPab polyclonal antibody.

Lane 1: MITF transfected lysate(58.20 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human MITF protein.

Immunogen

MITF (NP_937802.1, 1 a.a. ~ 520 a.a) full-length human protein.

Sequence

MQSESGVPDFEVGEEFHPEPKTYELKSQPLKSSSSAEHPGASKPPISSSSMTSRILLRQQLMR
EQMQEQERREQQQKLQAAQFMQQRVPVSQTPAINVSVPTTLPSATQVPMEVLKVQTHLENPTKY
HIQQAQRQQVKQYLSTTLANKHANQVLSLPCPNQPGDHVMPVPGSSAPNSPMAMLTLSNCE
KEGFYKFEEQNRAESECPGMNTHSRASCMQMDDVIDDIISLESSYNEEILGLMDPALQMANTLPV
SGNLIDLGNQGLPPPGLTISNSCPANLPNIKRELTESEARALAKERQKKDNHNLIERRRRFNINDRI
KELGTLIPKSNPDPMRWNGTILKASVDYIRKLQREQQRAKELENRQKKLEHANRHLLLRQLELM
QARAHGLSLIPSTGLCSPDLVNRRIKQEPVLENCSDQLLQHHADLTCTTLDLTDGTITFNNNLGTGT
EANQAYSVPTKMGSKLEDILMDDTLSPVGVTDPLLSSVSPGASKTSSRRSSMSMEETEHTC

Host

Rabbit

Reactivity

Human

Interspecies Antigen Sequence

Mouse (93); Rat (93)

Quality Control Testing

Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of MITF expression in transfected 293T cell line ([H00004286-T02](#)) by MITF MaxPab polyclonal antibody.

Lane 1: MITF transfected lysate(58.20 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — MITF

Entrez GeneID[4286](#)**GeneBank Accession#**[NM_198159.1](#)**Protein Accession#**[NP_937802.1](#)**Gene Name**

MITF

Gene Alias

MI, WS2A, bHLHe32

Gene Description

microphthalmia-associated transcription factor

Omim ID[103470](#) [103500](#) [156845](#) [193510](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a transcription factor that contains both basic helix-loop-helix and leucine zipper structural features. It regulates the differentiation and development of melanocytes retinal pigment epithelium and is also responsible for pigment cell-specific transcription of the melanogenesis enzyme genes. Heterozygous mutations in the this gene cause auditory-pigmentary syndromes, such as Waardenburg syndrome type 2 and Tietz syndrome. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq]

Other Designations

OTTHUMP00000195123|OTTHUMP00000195140|homolog of mouse microphthalmia

Pathway

- [Melanogenesis](#)

- [Melanoma](#)
- [Pathways in cancer](#)

Disease

- [Genetic Predisposition to Disease](#)
- [Lymphoma](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Neoplasm Metastasis](#)
- [Osteoporosis](#)
- [Retinal Diseases](#)
- [Skin Neoplasms](#)
- [Tobacco Use Disorder](#)