


MMP7 (Human) Recombinant Protein (Q01)

Catalog # H00004316-Q01

Size 25 ug, 10 ug

Applications



Specification

Product Description	Human MMP7 partial ORF (NP_002414, 95 a.a. - 204 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	YSLFPNSPKWTSKVVTYRMSYTRDLPHTVDRLVSKALNMWGKEIPLHFRKVVGWGTADIMIGFARG AHGDSYPFDGPGNTLAHAFAPGTGLGGDAHFDERWTDGSSL
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	37.84
Interspecies Antigen Sequence	Mouse (75); Rat (72)
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — MMP7

Entrez GeneID [4316](#)

GeneBank Accession# [NM_002423](#)

Protein Accession# [NP_002414](#)

Gene Name MMP7

Gene Alias MMP-7, MPSL1, PUMP-1

Gene Description matrix metalloproteinase 7 (matrilysin, uterine)

Omim ID [178990](#)

Gene Ontology [Hyperlink](#)

Gene Summary Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The enzyme encoded by this gene degrades proteoglycans, fibronectin, elastin and casein and differs from most MMP family members in that it lacks a conserved C-terminal protein domain. The enzyme is involved in wound healing, and studies in mice suggest that it regulates the activity of defensins in intestinal mucosa. The gene is part of a cluster of MMP genes which localize to chromosome 11q22.3. [provided by RefSeq]

Other Designations matrin|matrix metalloproteinase 7|matrix metalloproteinase 7 (matrilysin, uterine)|uterine matrilysin

Pathway

- [Wnt signaling pathway](#)

Disease

- [Adenocarcinoma](#)
- [Adenomatous Polyps](#)
- [Arthritis](#)
- [Astrocytoma](#)
- [Atherosclerosis](#)
- [Atrophy](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchiolitis Obliterans](#)
- [Carcinoma](#)
- [Chorioamnionitis](#)
- [Colorectal Neoplasms](#)
- [Coronary Artery Disease](#)
- [Disease Progression](#)
- [Duodenal Ulcer](#)
- [Endometrial Neoplasms](#)
- [Endometriosis](#)
- [Esophageal Neoplasms](#)
- [Fetal Membranes](#)
- [Gastritis](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulonephritis](#)
- [Heart Neoplasms](#)
- [Helicobacter Infections](#)

- [Hepatitis C](#)
- [Hypercholesterolemia](#)
- [Liver Cirrhosis](#)
- [Liver Neoplasms](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Multiple Sclerosis](#)
- [Nasopharyngeal Neoplasms](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Metastasis](#)
- [Neoplasms](#)
- [Obstetric Labor](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Precancerous Conditions](#)
- [Pre-Eclampsia](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Stomach Neoplasms](#)
- [Stomach Ulcer](#)
- [Thyroid Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Cervical Neoplasms](#)