


MaxPab®

MYD88 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00004615-B01P


Size 50 ug

Applications




Flow Cytometry

FACS analysis of negative control 293 cells (Black) and MYD88 expressing 293 cells (Green) using MYD88 purified MaxPab mouse polyclonal antibody.




Western Blot (Tissue lysate)

MYD88 MaxPab polyclonal antibody. Western Blot analysis of MYD88 expression in rat thymus.




Western Blot (Tissue lysate)

MYD88 MaxPab polyclonal antibody. Western Blot analysis of MYD88 expression in human placenta.



Western Blot (Cell lysate)

MYD88 MaxPab polyclonal antibody. Western Blot analysis of MYD88 expression in HepG2 .



Western Blot (Transfected lysate)

Western Blot analysis of MYD88 expression in transfected 293T cell line ([H00004615-T01](#)) by MYD88 MaxPab polyclonal antibody.

Lane 1: MYD88 transfected lysate(32.67 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human MYD88 protein.
Immunogen	MYD88 (AAH13589, 1 a.a. ~ 296 a.a) full-length human protein.
Sequence	MAAGGPGAGSAAPVSSTSSSLPLAALNMRVRRRLSLFLNVRTQVAADWTALAEEMDFEYLEIRQL ETQADPTGRLLDAWQGRPGASVGRILLELLTKLGRDDVLLELGPSIEEDCQKYILKQQQEEAEKPL QVAADVSSVPRTAELAGITLDDPLGHMPERFDAFICYCPSDIQFVQEMIRQLEQTNYRLKLCVSD RDVLPGTCVWSIASSELIEKRCRMVVVVSDDYLSKECDFQTKFALSLSPGAHQKRLIPIKYKAMK KEFPSILRSITVCDYTNPCTKSWFWTRLAKALSLP
Host	Mouse
Reactivity	Human, Rat
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

● Flow Cytometry

FACS analysis of negative control 293 cells (Black) and MYD88 expressing 293 cells (Green) using MYD88 purified MaxPab mouse polyclonal antibody.

● Western Blot (Tissue lysate)

MYD88 MaxPab polyclonal antibody. Western Blot analysis of MYD88 expression in rat thymus.

[Protocol Download](#)

- Western Blot (Tissue lysate)

MYD88 MaxPab polyclonal antibody. Western Blot analysis of MYD88 expression in human placenta.

[Protocol Download](#)

- Western Blot (Cell lysate)

MYD88 MaxPab polyclonal antibody. Western Blot analysis of MYD88 expression in HepG2 .

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of MYD88 expression in transfected 293T cell line ([H00004615-T01](#)) by MYD88 MaxPab polyclonal antibody.

Lane 1: MYD88 transfected lysate(32.67 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — MYD88

Entrez GeneID [4615](#)

GeneBank Accession# [BC013589](#)

Protein Accession# [AAH13589](#)

Gene Name MYD88

Gene Alias MYD88D

Gene Description myeloid differentiation primary response gene (88)

Omim ID [602170](#)

Gene Ontology [Hyperlink](#)

Other Designations myeloid differentiation primary response gene 88

Pathway

- [Apoptosis](#)
- [Toll-like receptor signaling pathway](#)

Disease

- [Arthritis](#)
- [Asthma](#)
- [Birth Weight](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Coronary Disease](#)
- [Cystitis](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [Hepatitis C](#)
- [Hodgkin Disease](#)
- [Hypersensitivity](#)
- [Leukemia](#)
- [Lupus Erythematosus](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Pyelonephritis](#)
- [Sepsis](#)
- [Urinary Tract Infections](#)