

## NCL rabbit monoclonal antibody

Catalog # H00004691-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human NCL peptide using ARM Technology.
Immunogen	A synthetic peptide of human NCL is used for rabbit immunization.  Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen ( <u>ARM Technology</u> ).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human NCL peptide by ELISA and mammalian transfected lysate by West ern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	<ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol>

## **Applications**

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — NCL	
Entrez GenelD	<u>4691</u>
GeneBank Accession#	<u>NCL</u>
Gene Name	NCL
Gene Alias	C23, FLJ45706
Gene Description	nucleolin
Omim ID	<u>164035</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Nucleolin (NCL), a eukaryotic nucleolar phosphoprotein, is involved in the synthesis and maturatio n of ribosomes. It is located mainly in dense fibrillar regions of the nucleolus. Human NCL gene co nsists of 14 exons with 13 introns and spans approximately 11kb. The intron 11 of the NCL gene encodes a small nucleolar RNA, termed U20. [provided by RefSeq
Other Designations	-

## Pathway

• Pathogenic Escherichia coli infection - EHEC