


NSF 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00004905-T01


Size 100 uL

Applications



SDS-PAGE Gel

NSF transfected lysate.



Western Blot

Lane 1: NSF transfected lysate (82.6 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-NSF full-length

Host Human

Theoretical MW (kDa) 82.6

Quality Control Testing Transient overexpression cell lysate was tested with Anti-NSF antibody ([H00004905-B01](#)) by Western Blots.
 SDS-PAGE Gel
 NSF transfected lysate.
 Western Blot
 Lane 1: NSF transfected lysate (82.6 KDa)
 Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — NSF

Entrez GeneID[4905](#)**GeneBank Accession#**[BC030613.2](#)**Protein Accession#**[P1](#)**Gene Name**

NSF

Gene Alias

SKD2

Gene Description

N-ethylmaleimide-sensitive factor

Omim ID[601633](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

N-ethylmaleimide-sensitive factor-like protein|OTTHUMP00000166031

Disease

- [Anorexia Nervosa](#)
- [Bipolar Disorder](#)
- [Bulimia](#)
- [Genetic Predisposition to Disease](#)
- [Mental Disorders](#)
- [Neurodegenerative Diseases](#)
- [Schizophrenia](#)

- [Supranuclear Palsy](#)