

TNFRSF11B rabbit monoclonal antibody

Catalog # H00004982-K Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human TNFRSF11B peptide using ARM Technology.
Immunogen	A synthetic peptide of human TNFRSF11B is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human TNFRSF11B peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — TNFRSF11B

Entrez GeneID	4982
GeneBank Accession#	TNFRSF11B
Gene Name	TNFRSF11B
Gene Alias	MGC29565, OCIF, OPG, TR1
Gene Description	tumor necrosis factor receptor superfamily, member 11b
Omim ID	239000 602643
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the TNF-receptor superfamily. This protein is an osteoblast-secreted decoy receptor that functions as a negative regulator of bone resorption. This protein specifically binds to its ligand, osteoprotegerin ligand, both of which are key extracellular regulators of osteoclast development. Studies of the mouse counterpart also suggest that this protein and its ligand play a role in lymph-node organogenesis and vascular calcification. Alternatively spliced transcript variants of this gene have been reported, but their full length nature has not been determined. [provided by RefSeq]
Other Designations	osteoclastogenesis inhibitory factor osteoprotegerin

Pathway

- [Cytokine-cytokine receptor interaction](#)

Disease

- [Acute Disease](#)
- [Alveolar Bone Loss](#)
- [Alzheimer disease](#)
- [Arthritis](#)
- [Asthma](#)

- [Body Weight](#)
- [Bone Diseases](#)
- [Brain Ischemia](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Cerebral Hemorrhage](#)
- [Chronic Disease](#)
- [Coronary Disease](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Diabetic Neuropathies](#)
- [Diarrhea](#)
- [Disease Progression](#)
- [Edema](#)
- [Escherichia coli Infections](#)
- [Femoral Neck Fractures](#)
- [Fractures](#)
- [Gaucher disease](#)
- [Genetic Predisposition to Disease](#)
- [Glomerulonephritis](#)
- [Hip Fractures](#)
- [Hypertension](#)
- [Hypertrophy](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Lupus Erythematosus](#)

- [Metabolic Syndrome X](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteitis Deformans](#)
- [Osteoarthritis](#)
- [Osteoporosis](#)
- [Osteoporotic Fractures](#)
- [Periodontitis](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Prosthesis Failure](#)
- [Scoliosis](#)
- [Spinal Fractures](#)
- [Stroke](#)
- [Thyroid Neoplasms](#)