


Full-Length

## OR1F1 (Human) Recombinant Protein (P01)

Catalog # H00004992-P01

Size 25 ug, 10 ug

### Applications



### Specification

#### Product Description

Human OR1F1 full-length ORF ( NP\_036492.1, 1 a.a. - 312 a.a.) recombinant protein with GST-tag at N-terminal.

#### Sequence

MSGTNQSSVSEFLLLGLSRQPQQHLLFVFFLSMYLATVLGNLLIILSVSIDSCLHTPMYFFLSNLS  
FVDICFSFTTVPKMLANHILETQTISFCGCLTQMYFVMFVDMDNFLLAVMAYDHFVAVCHPLHYT  
AKMTHQLCALLVAGLWVVANLNVLLHTLLMAPLSFCADNAITHFFCDVTPLLKLSCSDTHLNEVILL  
SEGALVMITPFLCILASYMHITCTVLKVPSTKGRWKAFASTCGSHLAVVLLFYSTIIAVYFNPLSSHSA  
EKDTMATVLYTVVTPMLNPFYSLRNRYLKGALKKVVGRVVFVS

#### Host

Wheat Germ (in vitro)

#### Theoretical MW (kDa)

61.3

#### Interspecies Antigen Sequence

Rat (80)

#### Preparation Method

[in vitro wheat germ expression system](#)

#### Purification

Glutathione Sepharose 4 Fast Flow

#### Quality Control Testing

12.5% SDS-PAGE Stained with Coomassie Blue.

#### Storage Buffer

50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

**Storage Instruction**

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**Note**

Best use within three months from the date of receipt of this protein.

## Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

## Gene Info — OR1F1

**Entrez GeneID**[4992](#)**GeneBank Accession#**[NM\\_012360.1](#)**Protein Accession#**[NP\\_036492.1](#)**Gene Name**

OR1F1

**Gene Alias**

OLF1F, OR16-36, OR16-37, OR16-88, OR16-89, OR16-90, OR1F10, OR1F13P, OR1F4, OR1F5, OR1F6, OR1F7, OR1F8, OR1F9, OR3-145, ORL1023

**Gene Description**

olfactory receptor, family 1, subfamily F, member 1

**Omim ID**[603232](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq]

**Other Designations**

OTTHUMP00000115580|olfactory receptor OR16-4|olfactory receptor, family 1, subfamily F, member 10|olfactory receptor, family 1, subfamily F, member 13 pseudogene|olfactory receptor, family 1, subfamily F, member 4|olfactory receptor, family 1, subfamily F

## Pathway

- [Olfactory transduction](#)