

PCDHGC3 DNAxPab

Catalog # H00005098-W01P Size 200 ug

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human PCDHGC3 DNA using DNAx™ Immune technology.
Technology	DNAx™ Immune
Immunogen	Full-length human DNA
Sequence	MVPEAWRSGLVSTGRVVGVLLLLGALNKASTVIHYEIPEEREKGFAVGNNVANLGLDLGSLSSARRFRVVSGASRRFFEVNRETGEMFVNDRLDREELCGTLPCTVTLVVENPLELFSVVEVVIQDINDNNPAFPQTQEMKLEISEAVAPGTRFPLESAHDPDVGNSNLQTYELSRNEYFALRVQTREDSTKYAEVLALERALDREREPQLVLTALDGTPALSASLPIHKVLDANDNAPVFNQSLYRARVLEDAPSGTRVVQVLATDLDEGPNGEIYSFGSHNRAGVRQLFALDLVTGMLTIKGRLDFEDTKLHEIYQAKDKGANPEGAHCKVLVEVVDVNDNAPEITVTSVYSPVPEDAPLGTIVALLSVTLDAGENGLVTCEVPPGLPFSLTSSLKNYFTLKTSA LDRETVPEYNLSITARDAGTPSLSALTIVRVQVSDINDNPPQSSQS SYDVYIEENNLPGAPILNLSVWDPDAPQNARLSFFLEQGAETGLVGRYFTINRDNGIVSSLVPLDYEDRREFELTAHISDGTPVLATNISNVIFVTDRNDNAPQVLYPPRGPGSSVEMLPRGTSAGHLVSRVVGWDADAGHNAWLSSLLGSPNQSLFAIGLHTGQISTARPVQDTDSPRQTLTVLIKDNGEPSLSTTATLTVSTEDSPEARAEFPGSAPREQKNLTFYLLLSSLILSVGFGVVTVFGVIIFKVYWKQSRDLYRAPVSSLYRTPGPSLHADAVRGGLMSPHLYHQVYLTDSRRSDPPLLKPGAAASPQRQNTLRS CDPVFYRQVLGAESAPPGQQAPPNTDWRFSSQAQRPGTSGSQNGDDTGTWPNNQFDTEMLQAMILASASEAADGSSTLGGAGTMGLSARYGPQFTLQHVPDYZRQNVIYIPGSNATLNAAGKRDGKA PAGGNGNKKSGKKEKK
Host	Rabbit
Reactivity	Human
Purification	Protein A
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- Immunofluorescence (Transfected cell)
- Flow Cytometry (Transfected cell)

Gene Info — PCDHGC3

Entrez GenelD	5098
GeneBank Accession#	NM_002588.2
Protein Accession#	NP_002579.2
Gene Name	PCDHGC3
Gene Alias	PC43, PCDH-GAMMA-C3, PCDH2
Gene Description	protocadherin gamma subfamily C, 3
Omim ID	603627
Gene Ontology	Hyperlink
Gene Summary	This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq]
Other Designations	cadherin-like 2 protocadherin 2 protocadherin 43