


MaxPab®

POMC MaxPab mouse polyclonal antibody (B01)

Catalog # H00005443-B01


Size 50 uL

Applications



Western Blot (Cell lysate)

POMC MaxPab polyclonal antibody. Western Blot analysis of POMC expression in K-562.



Western Blot (Transfected lysate)

Western Blot analysis of POMC expression in transfected 293T cell line ([H00005443-T01](#)) by POMC MaxPab polyclonal antibody.

Lane 1: POMC transfected lysate(29.37 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Mouse polyclonal antibody raised against a full-length human POMC protein.

Immunogen

POMC (NP_000930, 1 a.a. ~ 267 a.a) full-length human protein.

Sequence

MPRSCCSRSGALLLALLLQASMEVRGWCLESSQCQDLTTESNLLCIRACKPDLSAETPMFPGN
GDEQPLTENPRKYVMGHFRWDRFGRNRSSSSGSSGAGQKREDVSAGEDCGPLPEGGPEPRS
DGAKPGPREGKRSYSMEHFRWGKPVGKKRRPVKVYPNGAEDESAEAFPLEFKRELTGQRLRE
GDGPDGPADDGAGAQADLEHSLLVAAEKKDEGPYRMEHFRWGSPPKDKRYGGFMTSEKSQTP
LVTLFKNAIKNAYKKGE

Host

Mouse

Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Note	For IHC and IF applications, antibody purification with Protein A will be needed prior to use.

Applications

- Western Blot (Cell lysate)

POMC MaxPab polyclonal antibody. Western Blot analysis of POMC expression in K-562.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of POMC expression in transfected 293T cell line ([H00005443-T01](#)) by POMC MaxPab polyclonal antibody.

Lane 1: POMC transfected lysate(29.37 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — POMC

Entrez GeneID	5443
GeneBank Accession#	NM_000939
Protein Accession#	NP_000930
Gene Name	POMC
Gene Alias	ACTH, CLIP, LPH, MSH, NPP, POC
Gene Description	proopiomelanocortin
Omim ID	176830 609830
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a polypeptide hormone precursor that undergoes extensive, tissue-specific, post-translational processing via cleavage by subtilisin-like enzymes known as prohormone convertases. There are eight potential cleavage sites within the polypeptide precursor and, depending on tissue type and the available convertases, processing may yield as many as ten biologically active peptides involved in diverse cellular functions. The encoded protein is synthesized mainly in corticotroph cells of the anterior pituitary where four cleavage sites are used; adrenocorticotrophin, essential for normal steroidogenesis and the maintenance of normal adrenal weight, and lipotropin beta are the major end products. In other tissues, including the hypothalamus, placenta, and epithelium, all cleavage sites may be used, giving rise to peptides with roles in pain and energy homeostasis, melanocyte stimulation, and immune modulation. These include several distinct melanotropins, lipotropins, and endorphins that are contained within the adrenocorticotrophin and beta-lipotropin peptides. Mutations in this gene have been associated with early onset obesity, adrenal insufficiency, and red hair pigmentation. Alternatively spliced transcript variants encoding the same protein have been described. [provided by RefSeq]

Other Designations

OTTHUMP00000119991|adrenocorticotrophic hormone|adrenocorticotropin|alpha-MSH|alpha-melanocyte-stimulating hormone|beta-LPH|beta-MSH|beta-endorphin|beta-melanocyte-stimulating hormone|corticotropin-like intermediary peptide|gamma-LPH|gamma-MSH|lipotropin b

Pathway

- [Adipocytokine signaling pathway](#)
- [Melanogenesis](#)
- [Neuroactive ligand-receptor interaction](#)

Disease

- [Adenocarcinoma](#)
- [Alcoholism](#)
- [Anorexia Nervosa](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Body Weight](#)
- [Breast Neoplasms](#)

- [Bulimia](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Connective Tissue Diseases](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Disease Susceptibility](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Fatigue Syndrome](#)
- [Fetal Diseases](#)
- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Hyperparathyroidism](#)
- [Infection](#)
- [Inflammation](#)
- [Lymphoma](#)
- [Malignant melanoma](#)
- [Melanoma](#)
- [Mental Disorders](#)
- [Metabolic Syndrome X](#)
- [Microsatellite Instability](#)

- [Musculoskeletal Diseases](#)
- [NARP](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian Failure](#)
- [Pain](#)
- [Parkinson disease](#)
- [Polycystic Ovary Syndrome](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Psychiatric Status Rating Scales](#)
- [Psychophysiologic Disorders](#)
- [Puberty](#)
- [Skin Diseases](#)
- [Skin Neoplasms](#)
- [Somatoform Disorders](#)
- [Substance-Related Disorders](#)
- [Thinness](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Translocation](#)
- [Weight Loss](#)