

PRKCZ rabbit monoclonal antibody

Catalog # H00005590-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human PRKCZ peptide using ARM Technology.
Immunogen	A synthetic peptide of human PRKCZ is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human PRKCZ peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — PRKCZ

Entrez GeneID	5590
GeneBank Accession#	PRKCZ
Gene Name	PRKCZ
Gene Alias	PKC-ZETA, PKC2
Gene Description	protein kinase C, zeta
Omim ID	176982
Gene Ontology	Hyperlink
Gene Summary	Protein kinase C (PKC) zeta is a member of the PKC family of serine/threonine kinases which are involved in a variety of cellular processes such as proliferation, differentiation and secretion. Unlike the classical PKC isoenzymes which are calcium-dependent, PKC zeta exhibits a kinase activity which is independent of calcium and diacylglycerol but not of phosphatidylserine. Furthermore, it is insensitive to typical PKC inhibitors and cannot be activated by phorbol ester. Unlike the classical PKC isoenzymes, it has only a single zinc finger module. These structural and biochemical properties indicate that the zeta subspecies is related to, but distinct from other isoenzymes of PKC. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq]
Other Designations	OTTHUMP00000001368 OTTHUMP00000044160

Pathway

- [Chemokine signaling pathway](#)
- [Endocytosis](#)
- [Insulin signaling pathway](#)
- [Tight junction](#)
- [Type II diabetes mellitus](#)

Disease

- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)