


MaxPab®

# MAPK9 MaxPab rabbit polyclonal antibody (D01)

Catalog # H00005601-D01

Size 100 uL

## Applications



### Western Blot (Transfected lysate)

Western Blot analysis of MAPK9 expression in transfected 293T cell line ([H00005601-T01](#)) by MAPK9 MaxPab polyclonal antibody.

Lane 1: MAPK9 transfected lysate(48.10 KDa).

Lane 2: Non-transfected lysate.

## Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human MAPK9 protein.
Immunogen	MAPK9 (NP_002743.3, 1 a.a. ~ 424 a.a) full-length human protein.
Sequence	MSDSKCD SQFY SVQVADSTFTVLKRYQQLKPIGSGAQGIVCAAFDTV LGIN VAVKKLSRPFQ NQT HAKRAYREL VLLKCVNHKNIISLLNVFTPQKTLEEFQDVYLVME LMDANLCQVIHMEL DHERMSYL LYQMLCGIKHLHSAGIIHRDLKPSNIVKSDCTLKILDFGLARTACTNFMMPYVVTRYRAPEVILG MGYKENVDIWSVGCIMGELVKGC VIFQGTDHIDQWNKVIEQLGTPSAEFMKKLQPTVRNYVENRP KYPGIKFEELFPDWIFPSESERDKIKTSQARDLLSKMLVIDPKRISVDEALRHPYITVWYDPAEAE APPPQYDAQLEEREHAIEEWKELMYKEVMDWEERSKNGVVKDQPSDAAVSSNATPSQSSSINDI SSMSTEQTLASD TDSSLDASTGPLEGCR
Host	Rabbit
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot (Transfected lysate)

Western Blot analysis of MAPK9 expression in transfected 293T cell line ([H00005601-T01](#)) by MAPK9 MaxPab polyclonal antibody.

Lane 1: MAPK9 transfected lysate(48.10 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

## Gene Info — MAPK9

Entrez GeneID	<a href="#">5601</a>
GeneBank Accession#	<a href="#">NM_002752.3</a>
Protein Accession#	<a href="#">NP_002743.3</a>
Gene Name	MAPK9
Gene Alias	JNK-55, JNK2, JNK2A, JNK2ALPHA, JNK2B, JNK2BETA, PRKM9, SAPK, p54a, p54aSAPK
Gene Description	mitogen-activated protein kinase 9
Omim ID	<a href="#">602896</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase targets specific transcription factors, and thus mediates immediate-early gene expression in response to various cell stimuli. It is most closely related to MAPK8, both of which are involved in UV radiation induced apoptosis, thought to be related to the cytochrome c-mediated cell death pathway. This gene and MAPK8 are also known as c-Jun N-terminal kinases. This kinase blocks the ubiquitination of tumor suppressor p53, and thus it increases the stability of p53 in nonstressed cells. Studies of this gene's mouse counterpart suggest a key role in T-cell differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq]
Other Designations	Jun kinase MAP kinase 9 c-Jun N-terminal kinase 2 c-Jun kinase 2 mitogen-activated protein kinase 9 isoform JNK2 alpha2 stress-activated protein kinase JNK2

## Pathway

- [Adipocytokine signaling pathway](#)
- [Colorectal cancer](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [ErbB signaling pathway](#)
- [Fc epsilon RI signaling pathway](#)
- [Focal adhesion](#)
- [GnRH signaling pathway](#)
- [Insulin signaling pathway](#)
- [MAPK signaling pathway](#)
- [Neurotrophin signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [T cell receptor signaling pathway](#)
- [Toll-like receptor signaling pathway](#)
- [Type II diabetes mellitus](#)
- [Wnt signaling pathway](#)

## Disease

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [HIV Infections](#)
- [Tobacco Use Disorder](#)