
MAPK13 monoclonal antibody (M05), clone 2B2


Catalog # H00005603-M05 Size 100 ug

Applications




Western Blot (Cell lysate)

MAPK13 monoclonal antibody (M05), clone 2B2 Western Blot analysis of MAPK13 expression in A-431 (Cat # L015V1).



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)


Immunoperoxidase of monoclonal antibody to MAPK13 on formalin-fixed paraffin-embedded human small Intestine. [antibody concentration 1 ug/ml]



Sandwich ELISA (Recombinant protein)


Detection limit for recombinant GST tagged MAPK13 is approximately 0.03ng/ml as a capture antibody.





Immunofluorescence

Immunofluorescence of monoclonal antibody to MAPK13 on A-431 cell. [antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (38.28 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant MAPK13.
Immunogen	MAPK13 (AAH00433, 251 a.a. ~ 365 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	NDKAAKSYIQSLPQTPRKDFTQLFPRASPQAADLLEKMLELDVDRRLTAAQALTHPFFEPFRDPE EETEAQQPFDDSLEHEKLTVDEWKQHIYKEIVNFSPIARKDSRRRSGMKL
Host	Mouse
Reactivity	Human
lsotype	lgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (38.28 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

😵 Abnova

Product Information

Western Blot (Cell lysate)

MAPK13 monoclonal antibody (M05), clone 2B2 Western Blot analysis of MAPK13 expression in A-431 (Cat # L015V1). <u>Protocol Download</u>

Western Blot (Recombinant protein)

Protocol Download

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to MAPK13 on formalin-fixed paraffin-embedded human small Intestine. [antibody concentration 1 ug/ml]

Protocol Download

- Sandwich ELISA (Recombinant protein)
 Detection limit for recombinant GST tagged MAPK13 is approximately 0.03ng/ml as a capture antibody.
 <u>Protocol Download</u>
- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to MAPK13 on A-431 cell. [antibody concentration 10 ug/ml]

Gene Info — MAPK13

Entrez GenelD	<u>5603</u>
GeneBank Accession#	<u>BC000433</u>
Protein Accession#	<u>AAH00433</u>
Gene Name	MAPK13
Gene Alias	MGC99536, PRKM13, SAPK4, p38delta
Gene Description	mitogen-activated protein kinase 13
Omim ID	<u>602899</u>
Gene Ontology	Hyperlink

😵 Abnova	Product Information
Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular pro cesses such as proliferation, differentiation, transcription regulation and development. This kinase is closely related to p38 MAP kinase, both of which can be activated by proinflammatory cytokine s and cellular stress. MAP kinase kinases 3, and 6 can phosphorylate and activate this kinase. Tr anscription factor ATF2, and microtubule dynamics regulator stathmin have been shown to be the substrates of this kinase. [provided by RefSeq
Other Designations	OTTHUMP00000016282 mitogen-activated protein kinase p38 delta stress-activated protein kin ase 4

Pathway

- Amyotrophic lateral sclerosis (ALS)
- Epithelial cell signaling in Helicobacter pylori infection
- <u>Fc epsilon RI signaling pathway</u>
- GnRH signaling pathway
- Leukocyte transendothelial migration
- MAPK signaling pathway
- <u>Neurotrophin signaling pathway</u>
- <u>T cell receptor signaling pathway</u>
- <u>Toll-like receptor signaling pathway</u>
- VEGF signaling pathway

Disease

- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Edema
- HIV Infections