## PSMB2 rabbit monoclonal antibody

Size

Catalog # H00005690-K

100 ug x up to 3

## Specification **Product Description** Rabbit monoclonal antibody raised against a human PSMB2 peptide using ARM Technology. Immunogen A synthetic peptide of human PSMB2 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence. Host Rabbit Library Construction Non-fusion antibody library from rabbit spleen (ARM Technology). Expression Overexpression vector and transfection into 293H cell line. Reactivity Human **Purification** Protein A lsotype lgG **Quality Control Testing** Antibody reactive against human PSMB2 peptide by ELISA and mammalian transfected lysate by W estern Blot. **Storage Buffer** In 1x PBS, pH 7.4 **Storage Instruction** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, IgG, scFv and different Fc and non-Fc conjugates per customer request.

## Applications

Western Blot (Transfected lysate)

Protocol Download



• ELISA

Gene Info — PSMB2	
Entrez GenelD	<u>5690</u>
GeneBank Accession#	PSMB2
Gene Name	PSMB2
Gene Alias	HC7-I, MGC104215, MGC126885
Gene Description	proteasome (prosome, macropain) subunit, beta type, 2
Omim ID	602175
Gene Ontology	Hyperlink
Gene Summary	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S cor e structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are co mposed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distri buted throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin- dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a membe r of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit. [ provided by RefSeq

## Pathway

• Proteasome