

DNAXPab

Hard-to-Find  
Antibody

# PSMD8 DNAXPab

Catalog # H00005714-W01P      Size 200 ug

## Specification

<b>Product Description</b>	Rabbit polyclonal antibody raised against a full-length human PSMD8 DNA using DNAX™ Immune technology.
<b>Technology</b>	<a href="#">DNAX™ Immune</a>
<b>Immunogen</b>	Full-length human DNA
<b>Sequence</b>	MYEQLKGEWNRKSPNLSKCGEELGRLKLVLELNFLPTTGKLTQQLILARDILEIGAQWSILRKDI PSFERYMAQLKCYFDYKEQLPESAYMHQLLGLNLLFLLSQNRVAEFHTELERLPAKDIQTNVYIKH PVSLEQYLMEGSYNKVFLAKGNIPAESYTFIDILLDTIRDEIAGCIEKAYEKILFTEATRILFFNTPKKM TDYAKKRGWVLGPNNYYSFASQQQKPEDTTIPSTELAKQVIEYARQLEMIV
<b>Host</b>	Rabbit
<b>Reactivity</b>	Human
<b>Purification</b>	Protein A
<b>Quality Control Testing</b>	Antibody reactive against mammalian transfected lysate.
<b>Storage Buffer</b>	In 1x PBS, pH 7.4
<b>Storage Instruction</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- Immunofluorescence (Transfected cell)
- Flow Cytometry (Transfected cell)

## Gene Info — PSMD8

**Entrez GeneID** [5714](#)

**GeneBank Accession#** [NM\\_002812.3](#)

**Protein Accession#** [NP\\_002803.1](#)

**Gene Name** PSMD8

**Gene Alias** HIP6, HYPF, MGC1660, Nin1p, Rpn12, S14, p31

**Gene Description** proteasome (prosome, macropain) 26S subunit, non-ATPase, 8

**Gene Ontology** [Hyperlink](#)

**Gene Summary** The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a non-ATPase subunit of the 19S regulator. A pseudogene has been identified on chromosome 1. [provided by RefSeq]

**Other Designations** 26S proteasome non-ATPase regulatory subunit 8|26S proteasome regulatory subunit S14|26S proteasome regulatory subunit p31|proteasome 26S non-ATPase subunit 8

## Pathway

- [Proteasome](#)