


PVRL1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00005818-T02


Size 100 uL

Applications



SDS-PAGE Gel

PVRL1 transfected lysate.



Western Blot

Lane 1: PVRL1 transfected lysate (39.1 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-PVRL1 full-length

Host Human

Theoretical MW (kDa) 39.1

Quality Control Testing Transient overexpression cell lysate was tested with Anti-PVRL1 antibody ([H00005818-D01](#)) by Western Blots.
 SDS-PAGE Gel
 PVRL1 transfected lysate.
 Western Blot
 Lane 1: PVRL1 transfected lysate (39.1 KDa)
 Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — PVRL1

Entrez GeneID

[5818](#)

GeneBank Accession#

[NM_203286.1](#)

Protein Accession#

[NP_976031.1](#)

Gene Name

PVRL1

Gene Alias

CD111, CLPED1, ED4, HlgR, HVEC, MGC142031, MGC16207, OFC7, PRR, PRR1, PVRR, PVRR1, SK-12, nectin-1

Gene Description

poliovirus receptor-related 1 (herpesvirus entry mediator C)

Omim ID

[225000](#) [225060](#) [600644](#)

Gene Ontology

[Hyperlink](#)

Other Designations

ectodermal dysplasia 4 (Margarita Island type)|herpesvirus entry mediator C|nectin 1|poliovirus receptor related|poliovirus receptor-like 1|poliovirus receptor-related 1|poliovirus receptor-related 1 (herpesvirus entry mediator C; nectin)

Pathway

- [Adherens junction](#)
- [Cell adhesion molecules \(CAMs\)](#)

Disease

- [Cleft Lip](#)

- [Cleft Palate](#)
- [Disease Models](#)
- [Genetic Predisposition to Disease](#)
- [Tobacco Use Disorder](#)
- [Tooth Abnormalities](#)