


RAD51 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00005888-T02


Size 100 uL

Applications



SDS-PAGE Gel

RAD51 transfected lysate.



Western Blot

Lane 1: RAD51 transfected lysate (37.00 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-RAD51 full-length

Host Human

Theoretical MW (kDa) 37

Quality Control Testing Transient overexpression cell lysate was tested with Anti-RAD51 antibody ([H00005888-D01P](#)) by Western Blots.
 SDS-PAGE Gel
 RAD51 transfected lysate.
 Western Blot
 Lane 1: RAD51 transfected lysate (37.00 KDa)
 Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — RAD51

Entrez GeneID[5888](#)**GeneBank Accession#**[NM_002875](#)**Protein Accession#**[NP_002866.2](#)**Gene Name**

RAD51

Gene Alias

BRCC5, HRAD51, HsRad51, HsT16930, RAD51A, RECA

Gene Description

RAD51 homolog (RecA homolog, E. coli) (S. cerevisiae)

Omim ID[114480 179617](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene is a member of the RAD51 protein family. RAD51 family members are highly similar to bacterial RecA and *Saccharomyces cerevisiae* Rad51, and are known to be involved in the homologous recombination and repair of DNA. This protein can interact with the ssDNA-binding protein RPA and RAD52, and it is thought to play roles in homologous pairing and strand transfer of DNA. This protein is also found to interact with BRCA1 and BRCA2, which may be important for the cellular response to DNA damage. BRCA2 is shown to regulate both the intracellular localization and DNA-binding ability of this protein. Loss of these controls following BRCA2 inactivation may be a key event leading to genomic instability and tumorigenesis. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations

BRCA1/BRCA2-containing complex, subunit 5|DNA repair protein RAD51 homolog 1|RAD51 homolog protein|RAD51, S.cerevisiae, homolog of, A|RecA, E. coli, homolog of|RecA-like protein|recombination protein A

Pathway

- [Homologous recombination](#)

- [Pancreatic cancer](#)
- [Pathways in cancer](#)

Disease

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Ataxia telangiectasia](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Chromosome Aberrations](#)
- [Colorectal Neoplasms](#)
- [DNA Damage](#)
- [DNA Repair-Deficiency Disorders](#)
- [Esophageal Neoplasms](#)
- [Fanconi Anemia](#)
- [Genetic Predisposition to Disease](#)
- [Glioma](#)
- [Head and Neck Neoplasms](#)
- [Hematologic Diseases](#)
- [Hodgkin Disease](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)

- [Lymphoproliferative Disorders](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Multiple Sclerosis](#)
- [Myelodysplastic Syndromes](#)
- [Neoplasms](#)
- [Neuroma](#)
- [Occupational Diseases](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic Neoplasms](#)
- [Precancerous Conditions](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Radiodermatitis](#)
- [Recurrence](#)
- [Stomach Neoplasms](#)
- [Thyroid Neoplasms](#)
- [Urinary Bladder Neoplasms](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)