


RARG 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00005916-T02


Size 100 uL

Applications



SDS-PAGE Gel

RARG transfected lysate.



Western Blot

Lane 1: RARG transfected lysate (50.05 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-RARG full-length
Host	Human
Theoretical MW (kDa)	50.05
Interspecies Antigen Sequence	Mouse (99); Rat (98)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-RARG antibody ([H00005916-B02](#)) by Western Blots.
SDS-PAGE Gel
RARG transfected lysate.
Western Blot
Lane 1: RARG transfected lysate (50.05 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — RARG

Entrez GeneID[5916](#)**GeneBank Accession#**[NM_000966.4](#)**Protein Accession#**[-](#)**Gene Name**

RARG

Gene Alias

NR1B3, RARC

Gene Description

retinoic acid receptor, gamma

Omim ID[180190](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

O

Other Designations[-](#)

Disease

- [Alcoholism](#)
- [Alzheimer disease](#)

- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Liver Cirrhosis](#)
- [Mental Disorders](#)
- [Metabolic Syndrome X](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Schizophrenia](#)