


RBMS2 monoclonal antibody (M03), clone 3B2

Catalog # H00005939-M03


Size 100 ug

Applications



Immunofluorescence

Immunofluorescence of monoclonal antibody to RBMS2 on HeLa cell .
[antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (37 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant RBMS2.
Immunogen	RBMS2 (NP_002889, 308 a.a. ~ 407 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	HHHSYLMQPSGSVLTPGMDHPISLQPASMMGPLTQQLGHLSSLSTGTYMPTAAAMQGAYISQYTPVPSSSVSVEESSGQQNQVAVDAPSEHGVYSFQFN*
Host	Mouse
Reactivity	Human

Interspecies Antigen Sequence	Mouse (83); Rat (83)
Isotype	IgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to RBMS2 on HeLa cell . [antibody concentration 10 ug/ml]

Gene Info — RBMS2

Entrez GeneID	5939
GeneBank Accession#	NM_002898
Protein Accession#	NP_002889
Gene Name	RBMS2
Gene Alias	FLJ39093, FLJ40023, FLJ43262, SCR3
Gene Description	RNA binding motif, single stranded interacting protein 2
Omim ID	602387
Gene Ontology	Hyperlink

Gene Summary

The protein encoded by this gene is a member of a small family of proteins which bind single stranded DNA/RNA. These proteins are characterized by the presence of two sets of ribonucleoprotein consensus sequence (RNP-CS) that contain conserved motifs, RNP1 and RNP2, originally described in RNA binding proteins, and required for DNA binding. The RBMS proteins have been implicated in such diverse functions as DNA replication, gene transcription, cell cycle progression and apoptosis. This protein was isolated by phenotypic complementation of *cdc2* and *cdc13* mutants of yeast and is thought to suppress *cdc2* and *cdc13* mutants through the induction of translation of *cdc2*. [provided by RefSeq]

Other Designations

-