


MaxPab@

# RFX5 MaxPab rabbit polyclonal antibody (D01)

Catalog # H00005993-D01 Size 100 uL

## **Applications**



## 250 -150 -100 -75 -50 -37 -

20-

### Western Blot (Transfected lysate)

Western Blot analysis of RFX5 expression in transfected 293T cell line (<u>H00005993-T02</u>) by RFX5 MaxPab polyclonal antibody.

Lane 1: RFX5 transfected lysate(65.30 KDa).

Lane 2: Non-transfected lysate.

### **Immunoprecipitation**

Immunoprecipitation of RFX5 transfected lysate using anti-RFX5 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with RFX5 purified MaxPab mouse polyclonal antibody (B01P) (H00005993-B01P).

Specification	
Product Description	Rabbit polyclonal antibody raised against a full-length human RFX5 protein.
Immunogen	RFX5 (NP_000440.1, 1 a.a. ~ 616 a.a) full-length human protein.



#### **Product Information**

Seq	uence
-----	-------

MAEDEPDAKSPKTGGRAPPGGAEAGEPTTLLQRLRGTISKAVQNKVEGILQDVQKFSDNDKLYLY LQLPSGPTTGDKSSEPSTLSNEEYMYAYRWIRNHLEEHTDTCLPKQSVYDAYRKYCESLACCRPL STANFGKIIREIFPDIKARRLGGRGQSKYCYSGIRRKTLVSMPPLPGLDLKGSESPEMGPEVTPAPR DELVEAACALTCDWAERILKRSFSSIVEVARFLLQQHLISARSAHAHVLKAMGLAEEDEHAPRER SSKPKNGLENPEGGAHKKPERLAQPPKDLEARTGAGPLARGERKKSVVESSAPGANNLQVNAL VARLPLLLPRAPRSLIPPIPVSPPILAPRLSSGALKVATLPLSSRAGAPPAAVPIINMILPTVPALPGP GPGPGRAPPGGLTQPRGTENREVGIGGDQGPHDKGVKRTAEVPVSEASGQAPPAKAAKQDIED TASDAKRKRGRPRKKSGGSGERNSTPLKSAAAMESAQSSRLPWETWGSGGEGNSAGGAERP GPMGEAEKGAVLAQGQGDGTVSKGGRGPGSQHTKEAEDKIPLVPSKVSVIKGSRSQKEAFPLA KGEVDTAPQGNKDLKEHVLQSSLSQEHKDPKATPP

Host	Rabbit
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	No additive
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

### **Applications**

Western Blot (Transfected lysate)

Western Blot analysis of RFX5 expression in transfected 293T cell line (H00005993-T02) by RFX5 MaxPab polyclonal antibody.

Lane 1: RFX5 transfected lysate(65.30 KDa).

Lane 2: Non-transfected lysate.

**Protocol Download** 

Immunoprecipitation

Immunoprecipitation of RFX5 transfected lysate using anti-RFX5 MaxPab rabbit polyclonal antibody and Protein A Magnetic Bead, and immunoblotted with RFX5 purified MaxPab mouse polyclonal antibody (B01P) (H00005993-B01P).

**Protocol Download** 

### Gene Info — RFX5

Entrez GenelD	<u>5993</u>
GeneBank Accession#	NM_000449.3
Protein Accession#	NP_000440.1
Gene Name	RFX5



## **Product Information**

Gene Alias	-
Gene Description	regulatory factor X, 5 (influences HLA class II expression)
Omim ID	<u>209920</u> <u>601863</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	A lack of MHC-II expression results in a severe immunodeficiency syndrome called MHC-II deficie ncy, or the bare lymphocyte syndrome (BLS; MIM 209920). At least 4 complementation groups ha ve been identified in B-cell lines established from patients with BLS. The molecular defects in complementation groups B, C, and D all lead to a deficiency in RFX, a nuclear protein complex that binds to the X box of MHC-II promoters. The lack of RFX binding activity in complementation group C results from mutations in the RFX5 gene encoding the 75-kD subunit of RFX (Steimle et al., 1995). RFX5 is the fifth member of the growing family of DNA-binding proteins sharing a novel and highly characteristic DNA-binding domain called the RFX motif. Multiple alternatively spliced transcript variants have been found but the full-length natures of only two have been determined. [provided by RefSeq
Other Designations	OTTHUMP00000082795 OTTHUMP00000196318 regulatory factor X, 5

## Pathway

- Antigen processing and presentation
- Primary immunodeficiency

### Disease

Macular Degeneration