

RPL27A rabbit monoclonal antibody

Catalog # H00006157-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human RPL27A peptide using ARM Technology.
Immunogen	A synthetic peptide of human RPL27A is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human RPL27A peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — RPL27A	
Entrez GenelD	<u>6157</u>
GeneBank Accession#	RPL27A
Gene Name	RPL27A
Gene Alias	FLJ43464, MGC10850, MGC17878, MGC87238
Gene Description	ribosomal protein L27a
Omim ID	<u>603637</u>
Gene Ontology	Hyperlink
Gene Summary	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a la rge 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60 S subunit. The protein belongs to the L15P family of ribosomal proteins. It is located in the cytopla sm. Variable expression of this gene in colorectal cancers compared to adjacent normal tissues h as been observed, although no correlation between the level of expression and the severity of the disease has been found. As is typical for genes encoding ribosomal proteins, multiple processed pseudogenes derived from this gene are dispersed through the genome. [provided by RefSeq
Other Designations	60S ribosomal protein L27a

Pathway

• Ribosome