

RPS4X rabbit monoclonal antibody

Catalog # H00006191-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human RPS4X peptide using ARM Technology.
Immunogen	A synthetic peptide of human RPS4X is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (<u>ARM Technology</u>).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human RPS4X peptide by ELISA and mammalian transfected lysate by W estern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	 Customer may provide cell or tissue lysate for antibody screening. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, lgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — RPS4X	
Entrez GenelD	<u>6191</u>
GeneBank Accession#	RPS4X
Gene Name	RPS4X
Gene Alias	CCG2, DXS306, FLJ40595, SCAR, SCR10
Gene Description	ribosomal protein S4, X-linked
Omim ID	312760
Gene Ontology	Hyperlink
Gene Summary	Cytoplasmic ribosomes, organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approxim ately 80 structurally distinct proteins. This gene encodes ribosomal protein S4, a component of the 40S subunit. Ribosomal protein S4 is the only ribosomal protein known to be encoded by more than one gene, namely this gene and ribosomal protein S4, Y-linked (RPS4Y). The 2 isoforms encoded by these genes are not identical, but are functionally equivalent. Ribosomal protein S4 belon gs to the S4E family of ribosomal proteins. This gene is not subject to X-inactivation. It has been suggested that haploinsufficiency of the ribosomal protein S4 genes plays a role in Turner syndrom e; however, this hypothesis is controversial. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [provided by RefSeq
Other Designations	40S ribosomal protein S4, X isoform OTTHUMP00000023537 cell cycle gene 2 ribosomal protein S4X isoform single-copy abundant mRNA

Pathway

Ribosome