
# S100A7 monoclonal antibody (M03), clone 1C1

Catalog # H00006278-M03 Size 100 ug

# Applications





### Western Blot (Cell lysate)

S100A7 monoclonal antibody (M03), clone 1C1 Western Blot analysis of S100A7 expression in A-431 ( Cat # L015V1 ).

# Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged S100A7 is approximately 0.03ng/ml as a capture antibody.





#### Immunofluorescence

Immunofluorescence of monoclonal antibody to S100A7 on A-431 cell. [antibody concentration 10 ug/ml]



# **Product Information**

175 -	
83 -	
62 -	
47.5-	
32.5-	•
25 -	

Western Blot detection against Immunogen (36.85 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a full length recombinant S100A7.
Immunogen	S100A7 (AAH34687.1, 1 a.a. ~ 101 a.a) full-length recombinant protein with GST tag. MW of the GS T tag alone is 26 KDa.
Sequence	MSNTQAERSIIGMIDMFHKYTRRDDKIDKPSLLTMMKENFPNFLSACDKKGTNYLADVFEKKDKNE DKKIDFSEFLSLLGDIATDYHKQSHGAAPCSGGSQ
Host	Mouse
Reactivity	Human
lsotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.85 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# Applications

Western Blot (Cell lysate)

S100A7 monoclonal antibody (M03), clone 1C1 Western Blot analysis of S100A7 expression in A-431 (Cat # L015V1). <u>Protocol Download</u>

• Western Blot (Recombinant protein)

Protocol Download

- Sandwich ELISA (Recombinant protein)
  Detection limit for recombinant GST tagged S100A7 is approximately 0.03ng/ml as a capture antibody.
  <u>Protocol Download</u>
- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to S100A7 on A-431 cell. [antibody concentration 10 ug/ml]

Gene Info — S100A7	
Entrez GenelD	<u>6278</u>
GeneBank Accession#	<u>BC034687.1</u>
Protein Accession#	<u>AAH34687.1</u>
Gene Name	S100A7
Gene Alias	PSOR1, S100A7c
Gene Description	S100 calcium binding protein A7
Omim ID	<u>600353</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-han d calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide ra nge of cells, and involved in the regulation of a number of cellular processes such as cell cycle pro gression and differentiation. S100 genes include at least 13 members which are located as a clus ter on chromosome 1q21. This protein differs from the other S100 proteins of known structure in it s lack of calcium binding ability in one EF-hand at the N-terminus. This protein is markedly over-e xpressed in the skin lesions of psoriatic patients, but is excluded as a candidate gene for familial psoriasis susceptibility. The exact function of this protein is not known. [provided by RefSeq
Other Designations	OTTHUMP00000015327 OTTHUMP00000015328 S100 calcium-binding protein A7 (psoriasin 1 ) psoriasin 1

### Disease

Dermatitis

😵 Abnova

- Genetic Predisposition to Disease
- Ovarian Neoplasms
- Rhinitis