


SAA2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00006289-T02


Size 100 uL

Applications



SDS-PAGE Gel

SAA2 transfected lysate.



Western Blot

Lane 1: SAA2 transfected lysate (13.50 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-SAA2 full-length

Host Human

Theoretical MW (kDa) 13.5

Quality Control Testing Transient overexpression cell lysate was tested with Anti-SAA2 antibody ([H00006289-D01P](#)) by Western Blots.
SDS-PAGE Gel
SAA2 transfected lysate.
Western Blot
Lane 1: SAA2 transfected lysate (13.50 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — SAA2

Entrez GeneID[6289](#)**GeneBank Accession#**[NM_030754](#)**Protein Accession#**[NP_110381.1](#)**Gene Name**

SAA2

Gene Alias

-

Gene Description

serum amyloid A2

Omim ID[104751](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

-

Disease

- [Alzheimer disease](#)
- [Amyloidosis](#)
- [Cardiovascular Diseases](#)
- [Cognition](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Edema](#)

- [Familial Mediterranean fever](#)
- [Genetic Predisposition to Disease](#)
- [Metabolic Syndrome X](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Tobacco Use Disorder](#)