


CCL20 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00006364-T03


Size 100 uL

Applications



SDS-PAGE Gel

CCL20 transfected lysate.



Western Blot

Lane 1: CCL20 transfected lysate (10.80 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-CCL20 full-length
Host	Human
Theoretical MW (kDa)	10.8
Interspecies Antigen Sequence	Mouse (64); Rat (61)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-CCL20 antibody ([H00006364-B02](#)) by Western Blots.
SDS-PAGE Gel
CCL20 transfected lysate.
Western Blot
Lane 1: CCL20 transfected lysate (10.80 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — CCL20

Entrez GeneID

[6364](#)

GeneBank Accession#

[NM_004591](#)

Protein Accession#

[NP_004582.1](#)

Gene Name

CCL20

Gene Alias

CKb4, LARC, MIP-3a, MIP3A, SCYA20, ST38

Gene Description

chemokine (C-C motif) ligand 20

Omim ID

[601960](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

member 20

Other Designations

exodus-1|macrophage inflammatory protein 3 alpha|small inducible cytokine subfamily A (Cys-Cys), member 20

Pathway

- [Chemokine signaling pathway](#)

- [Cytokine-cytokine receptor interaction](#)

Disease

- [Birth Weight](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [Leukemia](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)