


# T monoclonal antibody (M05), clone 5C8


Catalog # H00006862-M05 Size 100 ug

## **Applications**



#### Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged T is approximately 0.03ng/ml as a capture antibody.



Western Blot detection against Immunogen (36.63 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant T.
lmmunogen	T (NP_003172, 222 a.a. ~ 320 a.a) partial recombinant protein with GST tag. MW of the GST tag alo ne is 26 KDa.
Sequence	ERSDHKEMMEEPGDSQQPGYSQWGWLLPGTSTLCPPANPHPQFGGALSLPSTHSCDRYPTLR SHRSSPYPSPYAHRNNSPTYSDNSPACLSMLQSHDNW
Host	Mouse
Reactivity	Human
Isotype	lgG2a Kappa



#### **Product Information**

Quality Control Testing	Antibody Reactive Against Recombinant Protein.  Western Blot detection against Immunogen (36.63 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# **Applications**

• Western Blot (Recombinant protein)

**Protocol Download** 

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged T is approximately 0.03ng/ml as a capture antibody.

Protocol Download

ELISA

Gene Info — T	
Entrez GenelD	<u>6862</u>
GeneBank Accession#	NM_003181
Protein Accession#	NP_003172
Gene Name	Т
Gene Alias	MGC104817, TFT
Gene Description	T, brachyury homolog (mouse)
Omim ID	<u>182940</u> <u>601397</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is an embryonic nuclear transcription factor that binds to a spec ific DNA element, the palindromic T-site. It binds through a region in its N-terminus, called the T-b ox, and effects transcription of genes required for mesoderm formation and differentiation. The protein is localized to notochord-derived cells. [provided by RefSeq
Other Designations	OTTHUMP00000017588 T brachyury homolog T brachyury-like transcription factor T



## Disease

• Cognition