

TACR1 rabbit monoclonal antibody

Catalog # H00006869-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human TACR1 peptide using ARM Technology.
Immunogen	A synthetic peptide of human TACR1 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human TACR1 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — TACR1

Entrez GeneID	6869
GeneBank Accession#	TACR1
Gene Name	TACR1
Gene Alias	NK1R, NKIR, SPR, TAC1R
Gene Description	tachykinin receptor 1
Omim ID	162323
Gene Ontology	Hyperlink
Gene Summary	This gene belongs to a gene family of tachykinin receptors. These tachykinin receptors are characterized by interactions with G proteins and contain seven hydrophobic transmembrane regions. This gene encodes the receptor for the tachykinin substance P, also referred to as neurokinin 1. The encoded protein is also involved in the mediation of phosphatidylinositol metabolism of substance P. [provided by RefSeq]
Other Designations	NK-1 receptor neurokinin 1 receptor tachykinin 1 receptor (substance P receptor, neurokinin 1 receptor) tachykinin receptor 1 (substance P receptor; neurokinin-1 receptor)

Pathway

- [Calcium signaling pathway](#)
- [Neuroactive ligand-receptor interaction](#)

Disease

- [Alcoholism](#)
- [Anorexia Nervosa](#)
- [Asthma](#)
- [Bipolar Disorder](#)
- [Bulimia](#)

- [Chronic Disease](#)
- [Constipation](#)
- [Cough](#)
- [Endometriosis](#)
- [Fibromyalgia](#)
- [Genetic Predisposition to Disease](#)
- [Mental Disorders](#)
- [Nausea](#)
- [Pain](#)
- [Panic Disorder](#)
- [Pregnancy Complications](#)
- [Radius Fractures](#)
- [Recurrence](#)
- [Reflex Sympathetic Dystrophy](#)
- [Schizophrenia](#)
- [Tobacco Use Disorder](#)