


NR2F2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00007026-T01


Size 100 uL

Applications



SDS-PAGE Gel

NR2F2 transfected lysate.



Western Blot

Lane 1: NR2F2 transfected lysate (45.6 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-NR2F2 full-length

Host Human

Theoretical MW (kDa) 45.6

Quality Control Testing Transient overexpression cell lysate was tested with Anti-NR2F2 antibody ([H00007026-B01](#)) by Western Blots.
SDS-PAGE Gel
NR2F2 transfected lysate.
Western Blot
Lane 1: NR2F2 transfected lysate (45.6 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — NR2F2

Entrez GeneID[7026](#)**GeneBank Accession#**[NM_021005.2](#)**Protein Accession#**[P1](#)**Gene Name**

NR2F2

Gene Alias

ARP1, COUP-TFII, COUP2FB, MGC117452, SVP40, TFCOUP2

Gene Description

nuclear receptor subfamily 2, group F, member 2

Omim ID[107773](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

group F

Other Designations

ADP-ribosylation factor related protein 1|OTTHUMP00000194781|ovalbumin upstream promoter transcription factor III|transcription factor COUP 2 (chicken ovalbumin upstream promoter 2, apolipoprotein regulatory protein)

Disease

- [Arthritis](#)
- [Bipolar Disorder](#)
- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)
- [Crohn Disease](#)

- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)