


UROD 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00007389-T01 Size 100 uL

Applications



Western Blot

Lane 1: UROD transfected lysate (40.37 KDa) Lane 2: Non-transfected lysate.

SDS-PAGE Gel

UROD transfected lysate.

Specification	
Transfected Cell Line	293T
Plasmid	pCMV-UROD full-length
Host	Human
Theoretical MW (kDa)	40.48
Quality Control Testing	Transient overexpression cell lysate was tested with Anti-UROD antibody (<u>H00007389-B02</u>) by West ern Blots. Western Blot Lane 1: UROD transfected lysate (40.37 KDa) Lane 2: Non-transfected lysate. SDS-PAGE Gel UROD transfected lysate.



Product Information

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bro mophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

• Western Blot

Gene Info — UROD	
Entrez GenelD	7389
GeneBank Accession#	<u>BC001778</u>
Protein Accession#	AAH01778
Gene Name	UROD
Gene Alias	PCT
Gene Description	uroporphyrinogen decarboxylase
Omim ID	<u>176100</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes the fifth enzyme of the heme biosynthetic pathway. This enzyme is responsible for catalyzing the conversion of uroporphyrinogen to coproporphyrinogen through the removal of fo ur carboxymethyl side chains. Mutations and deficiency in this enzyme are known to cause familial porphyria cutanea tarda and hepatoerythropoetic porphyria. [provided by RefSeq
Other Designations	OTTHUMP0000010502 fifth enzyme of heme biosynthetic pathway fifth enzyme of the heme bios ynthetic pathway uroporphyrinogen III decarboxylase

Pathway

• Porphyrin and chlorophyll metabolism

😵 Abnova

- Genetic Predisposition to Disease
- Porphyria
- Porphyria Cutanea Tarda

Product Information