


VAV1 monoclonal antibody (M04), clone 3A11


Catalog # H00007409-M04 Size 100 ug

Applications




Western Blot (Cell lysate)

VAV1 monoclonal antibody (M04), clone 3A11 Western Blot analysis of VAV1 expression in Jurkat (Cat # L017V1).



Sandwich ELISA (Recombinant protein)


Detection limit for recombinant GST tagged VAV1 is approximately 1ng/ml as a capture antibody.



Immunofluorescence

Immunofluorescence of monoclonal antibody to VAV1 on HeLa cell. [antibody concentration 10 ug/ml]





Western Blot detection against Immunogen (37.84 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant VAV1.
Immunogen	VAV1 (AAH13361, 681 a.a. ~ 790 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	RGLTELVEFYQQNSLKDCFKSLDTTLQFPFKEPEKRTISRPAVGSTKYFGTAKARYDFCARDRSE LSLKEGDIIKILNKKGQQGWWRGEIYGRVGWFPANYVEEDYSEYC
Host	Mouse
Reactivity	Human
Isotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.84 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Cell lysate)

VAV1 monoclonal antibody (M04), clone 3A11 Western Blot analysis of VAV1 expression in Jurkat (Cat # L017V1).

Protocol Download

Western Blot (Recombinant protein)

Protocol Download



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged VAV1 is approximately 1ng/ml as a capture antibody.

Protocol Download

- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to VAV1 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — VAV1	
Entrez GenelD	7409
GeneBank Accession#	BC013361
Protein Accession#	AAH13361
Gene Name	VAV1
Gene Alias	VAV
Gene Description	vav 1 guanine nucleotide exchange factor
Omim ID	<u>164875</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this proto-oncogene is a member of the Dbl family of guanine nucleotide exchange factors (GEF) for the Rho family of GTP binding proteins. The protein is important in he matopoiesis, playing a role in T-cell and B-cell development and activation. This particular GEF h as been identified as the specific binding partner of Nef proteins from HIV-1. Coexpression and b inding of these partners initiates profound morphological changes, cytoskeletal rearrangements a nd the JNK/SAPK signaling cascade, leading to increased levels of viral transcription and replicat ion. [provided by RefSeq
Other Designations	oncogene vav vav 1 oncogene vav proto-oncogene

Pathway

- B cell receptor signaling pathway
- Chemokine signaling pathway



- Fc epsilon RI signaling pathway
- Fc gamma R-mediated phagocytosis
- Focal adhesion
- Leukocyte transendothelial migration
- Natural killer cell mediated cytotoxicity
- Regulation of actin cytoskeleton
- T cell receptor signaling pathway