WHSC1 rabbit monoclonal antibody

Catalog # H00007468-K

Size 100 ug x up to 3

Specification **Product Description** Rabbit monoclonal antibody raised against a human WHSC1 peptide using ARM Technology. Immunogen A synthetic peptide of human WHSC1 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence. Host Rabbit Library Construction Non-fusion antibody library from rabbit spleen (ARM Technology). Expression Overexpression vector and transfection into 293H cell line. Reactivity Human **Purification** Protein A lsotype lgG **Quality Control Testing** Antibody reactive against human WHSC1 peptide by ELISA and mammalian transfected lysate by W estern Blot. **Storage Buffer** In 1x PBS, pH 7.4 **Storage Instruction** Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. Deliverable Up to three rabbit IgG clones of 100 ug each will be delivered to customer. Note 1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)₂, IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

Western Blot (Transfected lysate)

Protocol Download

• ELISA

Gene Info — WHSC1

Entrez GenelD	<u>7468</u>
GeneBank Accession#	WHSC1
Gene Name	WHSC1
Gene Alias	FLJ23286, KIAA1090, MGC176638, MMSET, NSD2, REIBP, TRX5, WHS
Gene Description	Wolf-Hirschhorn syndrome candidate 1
Omim ID	<u>602952</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a protein that contains four domains present in other developmental proteins: a PWWP domain, an HMG box, a SET domain, and a PHD-type zinc finger. It is expressed ubiqui tously in early development. Wolf-Hirschhorn syndrome (WHS) is a malformation syndrome assoc iated with a hemizygous deletion of the distal short arm of chromosome 4. This gene maps to the 165 kb WHS critical region and has also been involved in the chromosomal translocation t(4;14)(p16.3;q32.3) in multiple myelomas. Alternative splicing of this gene results in multiple transcript va riants encoding different isoforms. Some transcript variants are nonsense-mediated mRNA (NMD) decay candidates, hence not represented as reference sequences. [provided by RefSeq
Other Designations	IL5 promoter REII region-binding protein OTTHUMP00000149955 OTTHUMP00000159146 Wolf -Hirschhorn syndrome candidate 1 protein multiple myeloma SET domain containing protein type I II trithorax/ash1-related protein 5

Pathway

• Lysine degradation

Disease

- Cleft Lip
- Cleft Palate
- Kidney Failure