


MAPKAPK3 monoclonal antibody (M06), clone 4B11


Catalog # H00007867-M06 Size 100 ug

Applications



Western Blot (Cell lysate)

MAPKAPK3 monoclonal antibody (M06), clone 4B11 Western Blot analysis of MAPKAPK3 expression in HL-60 (Cat # L014V1).



Western Blot detection against Immunogen (36.45 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a full length recombinant MAPKAPK3.
lmmunogen	MAPKAPK3 (NP_004626, 59 a.a. ~ 153 a.a) full length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	LECFHRRTGQKCALKLLYDSPKARQEVDHHWQASGGPHIVCILDVYENMHHGKRCLLIIMECMEG GELFSRIQERGDQAFTEREAAEIMRDIGTA
Host	Mouse
Reactivity	Human



Product Information

Interspecies Antigen Sequence	Mouse (96); Rat (96)
Isotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.45 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

Western Blot (Cell lysate)

MAPKAPK3 monoclonal antibody (M06), clone 4B11 Western Blot analysis of MAPKAPK3 expression in HL-60 (Cat # L014V1).

Protocol Download

Western Blot (Recombinant protein)

Protocol Download

ELISA

Gene Info — MAPKAPK3	
Entrez GeneID	<u>7867</u>
GeneBank Accession#	NM_004635
Protein Accession#	NP_004626
Gene Name	MAPKAPK3
Gene Alias	3PK, MAPKAP3
Gene Description	mitogen-activated protein kinase-activated protein kinase 3
Omim ID	602130
Gene Ontology	<u>Hyperlink</u>



Product Information

Gene Summary

This gene encodes a member of the Ser/Thr protein kinase family. This kinase functions as a mito gen-activated protein kinase (MAP kinase)- activated protein kinase. MAP kinases are also know n as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple bioche mical signals. This kinase was shown to be activated by growth inducers and stress stimulation of cells. In vitro studies demonstrated that ERK, p38 MAP kinase and Jun N-terminal kinase were all able to phosphorylate and activate this kinase, which suggested the role of this kinase as an integrative element of signaling in both mitogen and stress responses. This kinase was reported to int eract with, phosphorylate and repress the activity of E47, which is a basic helix-loop-helix transcription factor known to be involved in the regulation of tissue-specific gene expression and cell differentiation. [provided by RefSeq

Other Designations

MAPKAP kinase 3

Pathway

- MAPK signaling pathway
- VEGF signaling pathway

Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Hepatitis C
- Schizophrenia