


MaxPah@

## YEATS4 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00008089-B01P Size 50 ug

## **Applications**




#### Western Blot (Transfected lysate)

Western Blot analysis of YEATS4 expression in transfected 293T cell line (<u>H00008089-T01</u>) by YEATS4 MaxPab polyclonal antibody.

Lane 1: YEATS4 transfected lysate(25.08 KDa).

Lane 2: Non-transfected lysate.



#### **Immunofluorescence**

Immunofluorescence of <u>purified</u> MaxPab antibody to YEATS4 on HeLa cell. [antibody concentration 10 ug/ml]

Specification	
Product Description	Mouse polyclonal antibody raised against a full-length human YEATS4 protein.
lmmunogen	YEATS4 (AAH00994, 1 a.a. ~ 227 a.a) full-length human protein.
Sequence	MFKRMAEFGPDSGGRVKGVTIVKPIVYGNVARYFGKKREEDGHTHQWTVYVKPYRNEDMSAYVK KIQFKLHESYGNPLRVVTKPPYEITETGWGEFEIIIKIFFIDPNERPVTLYHLLKLFQSDTNAMLGKKTV VSEFYDEMIFQDPTAMMQQLLTTSRQLTLGAYKHETEFAELEVKTREKLEAAKKKTSFEIAELKER LKASRETINCLKNEIRKLEEDDQAKDI
Host	Mouse
Reactivity	Human



#### **Product Information**

Interspecies Antigen Sequence	Mouse (99); Rat (99)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# **Applications**

Western Blot (Transfected lysate)

Western Blot analysis of YEATS4 expression in transfected 293T cell line (<u>H00008089-T01</u>) by YEATS4 MaxPab polyclonal antibody.

Lane 1: YEATS4 transfected lysate(25.08 KDa).

Lane 2: Non-transfected lysate.

**Protocol Download** 

Immunofluorescence

Immunofluorescence of <u>purified</u> MaxPab antibody to YEATS4 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — YEATS4		
Entrez GenelD	<u>8089</u>	
GeneBank Accession#	BC000994	
Protein Accession#	AAH00994	
Gene Name	YEATS4	
Gene Alias	4930573H17Rik, B230215M10Rik, GAS41, NUBI-1, YAF9	
Gene Description	YEATS domain containing 4	
Omim ID	<u>602116</u>	
Gene Ontology	<u>Hyperlink</u>	
Gene Summary	The protein encoded by this gene is found in the nucleoli. It has high sequence homology to huma n MLLT1, and yeast and human MLLT3 proteins. Both MLLT1 and MLLT3 proteins belong to a cla ss of transcription factors, indicating that the encoded protein might also represent a transcription factor. This protein is thought to be required for RNA transcription. This gene has been shown to b e amplified in tumors. [provided by RefSeq	



### **Product Information**

**Other Designations** 

NuMA binding protein 1|glioma-amplified sequence-41

### Disease

- Genetic Predisposition to Disease
- Hypertension