


SFRS17A monoclonal antibody (M02), clone 2G8

Catalog # H00008227-M02


Size 100 ug

Applications



Western Blot (Cell lysate)

SFRS17A monoclonal antibody (M02), clone 2G8 Western Blot analysis of SFRS17A expression in HeLa S3 NE (Cat # L013V3).




Western Blot (Transfected lysate)

Western Blot analysis of SFRS17A expression in transfected 293T cell line by SFRS17A monoclonal antibody (M02), clone 2G8.


Lane 1: SFRS17A transfected lysate(51.5 KDa).

Lane 2: Non-transfected lysate.




Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to SFRS17A on formalin-fixed paraffin-embedded human small Intestine. [antibody concentration 1 ug/ml]




Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged SFRS17A is approximately 0.1ng/ml as a capture antibody.



Immunofluorescence

Immunofluorescence of monoclonal antibody to SFRS17A on HeLa cell.
[antibody concentration 10 ug/ml]



Western Blot detection against Immunogen (37.18 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant RP13-297E16.1.
Immunogen	SFRS17A (NP_005079, 53 a.a. ~ 156 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	ERLKG MVQNHQFSTLRISKSTMD FIRFEGEVENKSLVKSFLACLDGKTIKLSGFSDILKVRAAEFKI DFPTRHDWDSFFRDAKDMNETLPGERPDTIHLEGLPC
Host	Mouse
Reactivity	Human
Isotype	IgG2b Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.18 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

SFRS17A monoclonal antibody (M02), clone 2G8 Western Blot analysis of SFRS17A expression in Hela S3 NE (Cat # L013V3).

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of SFRS17A expression in transfected 293T cell line by SFRS17A monoclonal antibody (M02), clone 2G8.

Lane 1: SFRS17A transfected lysate(51.5 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to SFRS17A on formalin-fixed paraffin-embedded human small Intestine. [antibody concentration 1 ug/ml]

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged SFRS17A is approximately 0.1ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

- Immunofluorescence

Immunofluorescence of monoclonal antibody to SFRS17A on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — SFRS17A

Entrez GeneID	8227
---------------	----------------------

GeneBank Accession#	NM_005088
---------------------	---------------------------

Protein Accession#	NP_005079
--------------------	---------------------------

Gene Name	SFRS17A
-----------	---------

Gene Alias	721P, CCDC133, CXYorf3, DXYS155E, MGC125365, MGC125366, MGC39904, XE7, XE7Y
Gene Description	splicing factor, arginine/serine-rich 17A
Omim ID	312095 465000
Gene Ontology	Hyperlink
Gene Summary	O
Other Designations	B-lymphocyte surface antigen DNA segment on chromosome X and Y (unique) 155 expressed sequence OTTHUMP00000022833 pseudoautosomal gene XE7