


# HIST1H3E polyclonal antibody (A02)

Catalog # H00008353-A02

Size 50 uL

## Applications



Western Blot detection against Immunogen (32.38 KDa) .

## Specification

<b>Product Description</b>	Mouse polyclonal antibody raised against a partial recombinant HIST1H3E.
<b>Immunogen</b>	HIST1H3E (NP_003523, 69 a.a. ~ 125 a.a) partial recombinant protein with GST tag.
<b>Sequence</b>	QRLVREIAQDFKTDLRQSSAVMALQEACEAYLVGLFEDTNLCAIHAKRVTIMPKDI
<b>Host</b>	Mouse
<b>Reactivity</b>	Human
<b>Quality Control Testing</b>	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (32.38 KDa) .
<b>Storage Buffer</b>	50 % glycerol
<b>Storage Instruction</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

## Gene Info — HIST1H3E

Entrez GeneID	<a href="#">8353</a>
GeneBank Accession#	<a href="#">NM_003532</a>
Protein Accession#	<a href="#">NP_003523</a>
Gene Name	HIST1H3E
Gene Alias	H3.1, H3/d, H3FD
Gene Description	histone cluster 1, H3e
Omim ID	<a href="#">602813</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	<p>Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6. [provided by RefSeq]</p>
Other Designations	H3 histone family, member D histone 1, H3e

## Pathway

- [Systemic lupus erythematosus](#)