


PPFIBP2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00008495-T02


Size 100 uL

Applications



SDS-PAGE Gel

PPFIBP2 transfected lysate.



Western Blot

Lane 1: PPFIBP2 transfected lysate (98.40 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line	293T
Plasmid	pCMV-PPFIBP2 full-length
Host	Human
Theoretical MW (kDa)	98.4
Interspecies Antigen Sequence	Mouse (89); Rat (90)

Quality Control Testing

Transient overexpression cell lysate was tested with Anti-PPFIBP2 antibody ([H00008495-D01P](#)) by Western Blots.
SDS-PAGE Gel
PPFIBP2 transfected lysate.
Western Blot
Lane 1: PPFIBP2 transfected lysate (98.40 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — PPFIBP2

Entrez GeneID[8495](#)**GeneBank Accession#**[NM_003621.1](#)**Protein Accession#**[NP_003612.1](#)**Gene Name**

PPFIBP2

Gene Alias

Cclp1, DKFZp781K06126, MGC42541

Gene Description

PTPRF interacting protein, binding protein 2 (liprin beta 2)

Omim ID[603142](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

PPFIBP2, or liprin-beta-2, belongs to the liprin-beta family. See liprin-beta-1 (MIM 603141) for background on liprins.[supplied by OMIM]

Other Designations

-

Disease

- [Breast Neoplasms](#)

- [Genetic Predisposition to Disease](#)
- [Tobacco Use Disorder](#)